

May 28, 2020

Attention: Tanya Francis TECHNICAL STANDARDS & SAFETY AUTHORITY 345 CARLINGVIEW DRIVE TORONTO, ON M9W 6N9

The design submission, tracking number 2020-02681, originally received on May 20, 2020 was surveyed and accepted for registration as follows:

CRN :0A18364.52Accepted on: May 28, 2020Reg Type:ADDITION TO ACC. FITTINGExpiry Date: April 04, 2026Drawing No. : SEE PRESSURE RATING CHARTS FOR SCOPEFitting type:SUPERLOK I-FITTINGSFitting type:SUPERLOK I-FITTINGSExpiry Date: April 04, 2026

#### The registration is conditional on your compliance with the following notes:

\*\* The Scope of this Registration include the addition of the I-Fittings, which have the identical body, front and back ferrule as the standard compression fittings covered in previously registered 0A18364.5 dated 2016/05/11. The only difference is longer edged nut and the addition of identification rings.

As indicated on AB-41 Statutory Declaration form and submitted documentation, the code of construction is ASME B31.3.

It is our understanding that the fitting(s), included as the scope of this submission, that is(are) subject to the Safety Codes Act shall comply with the requirements of the indicated Standard or Code of Construction on the AB-41 Statutory Declaration as supported by the attached data which identifies the dimensions, materials of construction, press./temp. ratings and the basis for such ratings, and the identification marking of the fittings.
This registration is valid only for fittings fabricated at the location(s) covered by the QC certificate attached to the accepted AB-41 Statutory Declaration form.

- This registration is valid only until the indicated expiry date and only if the Manufacturer maintains a valid quality management system approved by an acceptable third-party agency until that date.

- Should the approval of the quality management system lapse before the expiry date indicated above, this registration shall become void.

An invoice covering survey and registration fees will be forwarded from our Revenue Accounts.

If you have any question don't hesitate to contact me by phone at (780) 433-0281 ext 3337 or fax (780) 437-7787 or e-mail Dick@absa.ca.

Sincerely,

DICK, ASHLING, P. Eng. DOP Cert. No. D00007936

Alberta Municipal Affairs

#### STATUTORY DECLARATION Registration of Fittings

I, Jo	ong Chan, Yoon	, President	In this space, show facsimile of manufacturer's logo or trademark as it will appear on the fitting.
	(name of applicant)	(position title) (must be in a position of authority	$\overline{n}$
of E	BMT Co., Ltd.		
		(name of manufacturer)	
locat	ed at 35, Sanmakgongdannam	111-gil Yangsan-Si,Gyeongsangnam-do Kore (plant address)	
do so	plemnly declare that the fittings	listed hereunder, which are subject to the Saf	etv Codes Act
	ck one)	FICHERS	· · · · · · · · · · · · · · · · · · ·
	comply with the requirements	s of	ch specifies the dimensions,
	materials of construction, pro	essure/temperature ratings and identification	marking of the fittings, or
	are not covered by the provis	sions of a recognized North American standar	d and are therefore manufactured
	to comply with ASME B31.3		as supported by the attached
	(title of co	ode of construction or other applicable document)	
	data which identifies the dime	ensions, materials of construction, pressure/te	emperature ratings and the basis
	for such ratings, and the mar	king of the fittings for identification.	
I furt	her declare that the manufactur	e of these fittings is controlled by a quality co	ntrol program which has been
	ed by the following authority, IS		itable for the manufacture of these
fitting	gs to the stated standard. The f	fittings covered by this declaration, for which I	seek registration, are
I-Lo	ok Fittings		
	LARED before me at	21212-01-126-01 and 191212-01-126-02, prev can in the <u>GyeongsangnamDo</u> of	Korea
this (prin	/8# day of	$\frac{bec}{(Month)}, \frac{2019}{(Year)}$	(province or state)
	(a Commissioner of Oaths or No		
(sign	1 Tap was	years J.C	1000
(orgn	(a Commissioner of Oaths or No	signation (signation (signation )	ature of applicant)
For /	ABSA Office Use Only:		
NOT	ES: See Pressure Rating	g Charts for Superlok Imperial Tube	I-Fittings
To th	he best of my knowledge and be	elief, the application meets the requirements o	of the Safety Codes Act and CSA
		ccepted for registration in Category	2020-02681
Regi	stration Number:		
. togi	76	(Signatu	SAFETY CODES ACT - PROVINCE OF AL BERT/ re of the Administrator/SCO) ACCEPTED: 0A18364.52
Date	Registered:	Expiry Date:	See acceptance letter for
The inf	formation you provide is necessary only for ure Equipment Discipline.	r the administration of the programs as required by the Albert	a Safety Conditions of registration.
. 10000			Date: 2020-05-28 By: The She Take ASHLING DICK, P. I
			This stamp and signature have been affixed electron

This stamp and signature have been affixed electronically to this registered design as required by Section 20(1) of the Pressure Equipment Safety Regulation, in accordance with the Electronic Transactions Act.

the pressure equipment safety authority AB-41 2016-01

....

## 법무법인 삼 성

등부 2019 년 제 **2244** 호

## 인 증

위 **등록 신청서** 에 기재된 촉탁인 **주식회사 비엠티 대표이사 윤종찬** 의 대리인 김민지는 본 공증인의 면 전에서 위 사서증서에 위 본인이 기 명날인한 것임을 확인하였다.

## RINGIBE

성

삼

소속 울산지방검찰청

경남 양산시 중앙로 168. 2층

2019 년 12 월 18 일 이 사무소 에서 위 인증한다.

법무법인

공증담당

변호사

Registered No. 2019 - 2244

## Notarial Certificate

MINJI KIM attorney-in-fact of JONG CHAN, YOON, President of BMT Co., Ltd. appeared before me and admitted principal's subscription to the attached

the STATUTORY DECLARATION Registration of Fittings.

This is hereby attested on this 18<sup>th</sup>day of DEC., 2019. at this office.

SAMSUNG LAW & NOTARY OFFICE INC.

Belong to Ulsan District Prosecutor's Office 168, Jungang-Ro, Yangsan-City, Gyeongsangnam-do, Korea.



Signature of the Notary Public

JANG WOON YEOUNG

This office has been authorized by the Minister of Justice, the Republic of Korea to act as Notary Public since Feb. 7. 2015. under Law No. 220.



# 법무법인 삼 성

Registered No. 2019 - 2244

# NOTARIAL CERTIFICATE

# SAMSUNG LAW & NOTARY OFFICE INC.

Belong to Ulsan District Prosecutor's Office 168, Jungang-Ro, Yangsan-City, Gyeongsangnam-Do, Korea



TEL: +82 55 372-5599

210×297mm(보존용지 1종)70g/m\*

#### PRESSURE RATING CHARTS FOR SUPERLOK IMPERIAL TUBE I-FITTINGS

TABLE 1 - TUBE (	COMPRESSION FITTINGS	5
Nominal Tube Size (inch)	Pressure Rating (psi)*	Fitting Type**
1/4	10,200	SUI(5), SRUI(6), SUEI(10),
3/8	6,500	SUTI(17), SRUTI(18),
1/2	6,700	SUCI(24), SRI(26),
3/4	5,800	SPWCI(29), SMPWEI(29),
1	4,700	SSWCI(30), SSWEI(30)

\*Pressure rating at 100F

\*\*Number in () corresponds to Superlok Tube Fittings catalogue page

Fittings excluded from registration scope:

SSWEI 16

TABLE 2 - MALE NF	PT & ISO TAPERED FITTIN	IGS
Nominal Thread Size (inch)	Pressure Rating (psi)*	Fitting Type**
1/4	8,000	
3/8	7,800	SMCI(7), SMEI(12),
1/2	7,700	SHMEI(11), SMBTI(19),
3/4	7,300	SMRTI(21), SOPCI(27)
1	5,300	

\*Pressure rating at 100F


\*\*Number in () corresponds to Superlok Tube Fittings catalogue page Fittings excluded from registration scope:

SMEI 16

TABLE 3 - FEMALE N	NPT & ISO TAPERED FITTI	NGS
Nominal Thread Size (inch)	Pressure Rating (psi)*	Fitting Type**
1/4	6,600	
3/8	5,300	SFCI(8), SFEI(16),
1/2	4,900	SFBTI(22), SFRTI(23)
3/4	4,600	JI DI 1(22), JEN 11(23)
1	4,400	

\*Pressure rating at 100F

\*\*Number in () corresponds to Superlok Tube Fittings catalogue page



This stamp and signature have been affixed electronically to this registered design as required by Section 20(1) of the Pressure Equipment Safety Regulation, in accordance with the Electronic Transactions Act.

#### PRESSURE RATING CHARTS FOR SUPERLOK IMPERIAL TUBE I-FITTINGS

TABLE 4 - NON-P	OSITIONABLE SAE/MS FITTI	NGS
Nominal Thread Size (inch)	Pressure Rating (psi)*	Fitting Type**
7/16	4,568	
9/16	4,568	
3/4	4,568	SSMCI(28)
7/8	3,626	5510101(20)
1-1/16	3,626	
1-5/16	2,900	

\*Pressure rating at 100F

\*\*Number in () corresponds to Superlok Tube Fittings catalogue page

TABLE 5 - POSITIO	NABLE SAE/MS FITTING	iS
Nominal Thread Size (inch)	Pressure Rating (psi)*	Fitting Type**
7/16	4,568	
9/16	3,626	SPHMEI(13), SPMEI(14),
3/4	3,626	SPMBTI(20)
1-1/16	2,900	SPIVID II(20)
1-5/16	2,320	

\*Pressure rating at 100F

\*\*Number in () corresponds to Superlok Tube Fittings catalogue page

Fittings excluded from registration scope:

SPHMEI 6/8/12/16

TABLE 6 - AN (	JIC) STRAIGHT FITTINGS	
Nominal Thread Size (inch)	Pressure Rating (psi)*	Fitting Type**
7/16	10,000	
9/16	8,200	SAUI(25)
3/4	8,200	SAUI(25)
1-1/16	7,000	

\*Pressure rating at 100F

\*\*Number in () corresponds to Superlok Tube Fittings catalogue page

TABLE 7 - IS	O PARALLEL FITTINGS	
Nominal Thread Size (inch)	Pressure Rating (psi)*	Fitting Type**
1/4	4,568	
3/8	4,568	
1/2	2,320	SGCI(9), SOSCI(27)
3/4	2,320	
1	2,320	

\*Pressure rating at 100F

\*\*Number in () corresponds to Superlok Tube Fittings catalogue page

Fittings excluded from registration scope:

SGCI 4

SOCI 12/16



Suite 600 - 2889 E 12th Ave Vancouver, BC V5M 4T5

Toll Free: 1-866-566-7233 www.technicalsafetybc.ca

TECHNICAL STANDARDS & SAFETY AUTHORITY 345 CARLINGVIEW DRIVE TORONTO ON M9W 6N9 Date: June 10, 2020 Account #: 35231 Journal #: 75878

Attn: CECYLIA GARBACZ

#### Re: Application for Design Registration

The design, as detailed in your, CRN# 0A18364.5ADD1, for a Fitting is accepted for registration as follows:

Registered To: BMT CO LTD CRN: 0A18364.51

**Drawing #:** Scope of Registration

Drawing Revision: N/A

#### **Conditions Of Registration:**

This design was registered based on a technical review performed by the province of initial registration in accordance with the Association of Chief Inspectors policy on reciprocal recognition of design review.

Scope of Registration: Superlok I-Fittings per Pressure Rating Charts attached to the Statutory Declaration

#### **Reviewer's Notes:**

As required by CSA B51 4.2.1, this registration expires on 04-Apr-2026. This CRN is valid until the expiry date as long as the Manufacturer maintains a valid quality control program verified by an acceptable third-party agency until that date. Should the certification of the quality control program lapse before the expiry date, this registration shall become void. Any additional conditions of registration stated in TSSA CRN# 0A18364.5ADD1 registration shall apply to BC registration.



Suite 600 - 2889 E 12th Ave Vancouver, BC V5M 4T5

Toll Free: 1-866-566-7233 www.technicalsafetybc.ca

Contact me if you have any questions. The invoice for registration will be forwarded under separate cover.

Janina Mihailescu

janina.mihailescu@technicalsafetybc.ca Design Administration

cc:

#### PRESSURE RATING CHARTS FOR SUPERLOK IMPERIAL TUBE FITTINGS

Nominal Tube Size (inch)	Pressure Rating (psi)*	Fitting Type**
1/16	12,000	SU (15), SRU (16)
1/8	10,900	SBHRU (17), SBHU (18)
3/16	10,200	SUE (31), SUT (39)
1/4	10,200	SRUT (40), SUC (49)
5/16	8,000	SR (51), SBR (53)
3/8	6,500	SPC (56), SFTC (58)
1/2	6,700	SP (68), SC (68)
5/8	6,000	
3/4	5,800	SPWC (66)
7/8	4,800	SMPWE (67)
1	4,700	SSWC (67)
1-1/4	3,600	SSWE (67)
1-1/2	3,400	1
2	3,600 -	

\* Pressure rating at 100°F.

8

\*\* Number in ( ) corresponds to Superlok Tube Fittings catalogue page.

Fittings excluded from registration scope:

• SSWE 16




378	7,800	SHME (35)
1/2	7,700	SMBT (41)
3/4	7,300	SMRT (44)
1	5,300	SMA (54)
1-1/4	6,000	SOPC (60)
1-1/2	5,000	
2	3,900	-
* Processo rating at 100%		and the second

\* Pressure rating at 100°F.

\*\* Number in ( ) corresponds to Superlok Tube Fittings catalogue page.

Fittings excluded from registration scope:

SME 32



Page 2 of 7

### PRESSURE RATING CHARTS FOR SUPERLOK IMPERIAL TUBE FITTINGS

TABLE	B - FEMALE NPT & ISO TAPERED FI	TTINGS
Nominal Thread Size (inch)	Pressure Rating (psi)*	Fitting Type**
1/16	6,700	SFC (25)
1/8	6,500	SBFC (29)
1/4	6,600	SFE (38)
3/8	5,300	SFBT (47)
1/2	4,900	SFRT (48)
3/4	4,600	SFA (55)
1	4,400	
1-1/4	5,000	1
1-1/2	4,600	1
2	3,900	ĺ

\* Pressure rating at 100°F.


\*\* Number in ( ) corresponds to Superlok Tube Fittings catalogue page.

THIS IS PART OF CRN 04/8364.5 CRN 04/8364.5 Technical Standards & Safety Authority Boilers & Pressure Vessels Boilers & Pressure Vessels Safety Program Safety Apl. 4, 2026 BO

0/10	000,1	
3/4	4,568	1
7/8	3,626	1
1-1/16	3,626	1
1-3/16	2,900	1
1-5/16	2,900	1
1-5/8	2,320	
1-7/8	2,320	1
2	1,813	1
a ration at 100°C		-h

\* Pressure rating at 100°F.

\*\* Number in ( ) corresponds to Superlok Tube Fittings catalogue page.



#### PRESSURE RATING CHARTS FOR SUPERLOK IMPERIAL TUBE FITTINGS

Nominal Thread Size (inch)	Pressure Rating (psi)*	Fitting Type**
5/16	4,568	SPHME (36)
7/16	4,568	SPME (36)
1/2	4,568	SPMBT (43)
9/16	3,626	SPMRT (46)
3/4	3,626	
7/8	2,900	
1-1/16	2,900	
1-3/16	2,320	
1-5/16	2,320	
1-5/8	1,813	
1-7/8	1,813	
2	1,450	

\* Pressure rating at 100°F.

\*\* Number in ( ) corresponds to Superiok Tube Fittings catalogue page.

Fittings excluded from registration scope:

- SPHME 6/8/12/16
- SPME 24/32
- SPMBT 24/32
- SPMRT 24/32

THIS IS PART OF CRN 04/8364.5 Technical Standards & Safety Authority Technical Standards & Pressure Vessels Boilers & Pressure Vessels Safety Program APR.41 16 4.Vali

	.,	51.1.(55)
1-5/16	5,000	
* Desserves wetting -t 1000F	Annual contract of the second s	

\* Pressure rating at 100°F.

\*\* Number in ( ) corresponds to Superlok Tube Fittings catalogue page.

Fittings excluded from registration scope:

SAF 2

- SAU 16
- SAA 16

Τ	ABLE 7 - AN (JIC) SHAPED FITTINGS	
Nominal Thread Size (inch)	Pressure Rating (psi)*	Fitting Type**
7/16	10,000	NONE
9/16	7,600	
3/4	7,600	
1-1/16	6,300	
1-5/16	4,100	

\* Pressure rating at 100°F.

\*\* Number in ( ) corresponds to Superlok Tube Fittings catalogue page.

THIS IS PART OF CRN0A18364.5 Technical Standards & Safety Authority Boilers & Pressure Vessels Safety Program MO

#### PRESSURE RATING CHARTS FOR SUPERLOK IMPERIAL TUBE FITTINGS


	TABLE 8 – ISO PARALLEL FITTINGS				
Nominal Thread Size (inch)	Pressure Rating (psi)*	Fitting Type**			
1/8	4,568	SGC (27)			
1/4	4,568	SPME (37)			
3/8	4,568	SPMBT (42)			
1/2	2,320	SPMRT (45)			
3/4	2,320	SOSC (60)			
1	2,320				

\* Pressure rating at 100°F.

\*\* Number in ( ) corresponds to Superiok Tube Fittings catalogue page.

Fittings excluded from registration scope:

- SGC 4
- SPMBT 12/16
- SPMRT 16
- SOSC 12/16





TSSA 345 Carlington Drive Toronto, ONT, M9W 6N9 CA

Dear Cecylia Garbacz

#### **Re: Reciprocal CRN Registration in Manitoba**

Your application indicates that a CRN has been received in another Canadian Jurisdiction, and therefore your CRN has been registered in Manitoba as follows:

File Number:74-R704CRN:0A18364.54Scope:Superlok I-Fittings per Pressure Rating Charts attached to the Statutory DeclarationManufacturer:BMT CO LTD.Expiry Date:4/Apr/26

Please find attached invoice for registration.

As indicated by the Regulatory Reconciliation and Cooperation Table and the Reconciliation Agreement for the Canadian Registration Number (CRN) for Pressure Equipment, a CRN issued in any Canadian Jurisdiction will be accepted for use in Manitoba.

In accordance with Steam and Pressure Plants Regulation and CSA B51, it is the manufacturer's responsibility to file a Manufacturers Data Report, including partial data reports, with our office, prior to shipping pressure equipment to Manitoba.

Please contact me directly via email at <u>Cheryl.Lashek@gov.mb.ca</u> for any questions or concerns.

Cheryl Lashek, P.Eng Director, ITSM Inspection and Technical Services Office of the Fire Commissioner 508 - 401 York Avenue, Winnipeg Manitoba R3C 0P8 T (204) 945-3507 | F (204) 948-2309

New Brunswick Nunavut	Nova Scotia Yukon	Prince Edward Islan Northwest Territorie		Newfoundland and Labrado	or
Manufacturers Na	me: BMT Co., Ltd.				
Manufacturers Ad	dress: 35, Sanmakgongdannam 1		lo Korea		
	, Sanmakgongdannam 11-gil Yangsa				
	ry of Fittings to be registen ng couplings, tees, elbows, Ys,			Title of the Stand Constructio	
B Flanges: all flanges		, proget amone, pipe cape, of it			-
C Valves: all line valve D Expansion joints, fle	es exible connections, and hose as	ssemblies: all types		ASME B31.3	
E Strainers, filters, ser	parators, and steam traps				
<ul> <li>Measuring devices, transmitters</li> </ul>	including pressure gauges, lev	el gauges, sight glasses, level	s, or pressure		
	ted pressure relief devices acc	eptable as primary over pressu	ure protection on		
	ssels, piping and fusible plugs components that do not fall into	one of the above categories			
N Nuclear component	s: Class 1 🗆 Class 2 🗆 Cla	ss 3 . (Meeting CNSC or As	SME requirement	s)	
	rs Name, Trademark, or L			Type of Constru	
				Forged Welded Cast Other	Wrought D
1	SUPERL	OK.		Describe other:	
	Douche			Machined	
List of supporting	documentation and ident	ification of the actual item	is to be registe		
				and the second se	tuntin -
documents	uesign drawings 19	1212-01-120-01 and	191212-01	-126-02, previous regis	suation
accuments		1Engen	201		
		INIIOI	and the second second		
Declaration:					
Jong Chan, Yoon	(see note 3) El	mployed by BMT Co., Ltd.		and being the person having	full authority
				n contained in this form is true	
				aterials of construction, pressu further declare that the manufa	
				ation occurs in whole or in par	
verified by ISO 9001-HSB	as	being suitable for that purp	ose and I make	e this solemn declaration cons	
believing it to be true,	and knowing that it is of th	e same force and effect as	ir made under d	bath.	MAM
Signature of Declarer	:_ J. ( Yom		1ª	22501261	SATT
Declared before me a	AT SAMSUNG LAW & N	OTARY OFFICE INC.			
	y of Dec. AL	2019	Use this	s space for the Off	11/2
Commissioner of Oat					THE THE S
	1 1 1	m years			aller 15
Or Notary Public: (sig	(Affix Official seal to the	TANOQUO	ON VEC	MINCE SP	No and
	(Allix Official seal to the	91 110 01 10 10	NON TEL	New SNOUVER	SOK S
	This registration mus	This space for Regulatory Au to be revalidated after ten (10)		te of acceptance.	The second
CRN: 0A183			DEPT	OF JUSTICE PUBLIC SA	FETY
CRN	•		BOILE	R & PRESSURE VESSE	LACT
FID#: 15311			the Contraction		
Notes:				REGISTRATION ONLY	
	registered in the name of the Manu	the second s		OA18364.	57/42
	I be supported with two Statutory D oporting documentation.	vectaration forms	CR	N UTIT	
3. The Declaration sha	all be made by the person having fu	Il authority and		P A	
	e quality of the end product.			Van arad	u
	e the Superlok I-Fitting			HIEF BOILER INSPECT	1 The second
	al body & ferrule to pre-		U	615120	Hinds Rev.2
	April 4, 2026 - DG		D	ATE 615120	tings Rev.2
Citit CApires /	prin 1, 2020 DO				tings Rev.2
					tings Rev.2
					tings Rev.2
			BLRs	PVs	ings Rev.2
				-	
				-	
				-	

	Yukon	Northwest Territories	
Manufacturers Nam	DA' BUT Co Ltd		
		11-gil Yangsan-Si, Gyeongsangnam-do Ko	79â
		san-Si Gyeongsangnam-do Korea	
		ered. Circle one Category on s. plugs, unions, pipe caps, or reduc	
B Flanges: all flanges	g coupengs, tees, ecows, is	s, plugs, unions, pipe caps, or reduc	
C Valves: all line valves		anamhlion, all taon	ASME B31.3
	ible connections, and hose a arators, and steam traps	assembles, all types	
F Measuring devices, in	ncluding pressure gauges, le	evel gauges, sight glasses, levels, o	r pressure
		ceptable as primary over pressure (	protection on
boilers, pressure vest	sels, piping and fusible plugs	a to one of the above categories	
The second s			
		lass 3 🗋 , (Meeting CNSC or ASME Logo as it will appear on the j	
ONON MERIOROLOUP	C TREETING THE STATE OF THE STATE		Forged Weided D Wrought
0.000	CLIGENT	OV:	Cast D Other
16	SUPERL	OK	
,			Machined
List of supporting d	ocumentation and iden	tification of the actual items t	o be registered;
Fitting Catalog.	design drawings 19	91212-01-126-01 and 19	91212-01-126-02, previous registration
documents	<u> </u>		
			101
my knowledne represe	he quality of the end prod	registration is sought. The dim	and being the person having full author e information contained in this form is true to the be nensions, materials of construction, pressure temper
Jong Chen, Yoon and responsibility for ti my knowledge represe ratings, and identificati fittings is regulated by worked by 182 9011488	he quality of the end prod onts the product for which ion markings are in accor a Quality Control Program a	duct do solemniy declare that the n registration is sought. The dim rdance with the herein named st m which extends to each plant v is being suitable for that purpose	e information contained in this form is true to the be rensions, materials of construction, pressure temper tandards. I further declare that the manufacture of t where fabrication occurs in whole or in part and has e and I make this solemn declaration conscientious
Jong Chen, Yoon and responsibility for the my knowledge represe ratings, and identificati fittings is regulated by verified by 150 900-HSS believing it to be true, a	he quality of the end prod onts the product for which ion markings are in accor a Quality Control Program and knowing that it is of the	fuct do solemniy declare that the registration is sought. The dim rdance with the herein named st m which extends to each plant v	e information contained in this form is true to the be rensions, materials of construction, pressure temper tandards. I further declare that the manufacture of t where fabrication occurs in whole or in part and has e and I make this solemn declaration conscientious
Jong Chan, Yoon and responsibility for the my knowledge represe ratings, and identification fittings is regulated by verified by ISD 9001-HSB believing it to be true, a Signature of Declarer.	he quality of the end prod into the product for which ion markings are in accor a Quality Control Prograt and knowing that it is of the T	duct do solemniy declare that the n registration is sought. The dim rdance with the herein named st m which extends to each plant v is being suitable for that purpose the same force and effect as if m	e information contained in this form is true to the be rensions, materials of construction, pressure temper tandards. I further declare that the manufacture of t where fabrication occurs in whole or in part and has e and I make this solemn declaration conscientious
Jong Chan, Yoon and responsibility for the my knowledge represe ratings, and identificati fittings is regulated by venfiled by 150 900-H85 believing it to be true, Signature of Declarer: Declared before me at	he quality of the end prod onts the product for which ion markings are in accor- a Quality Control Program and knowing that it is of the T. (Low- SAMSUNG LAW & I	duct do solemniy declare that the registration is sought. The dim rdance with the herein named sit m which extends to each plant v is being suitable for that purpose the same force and effect as if m <u>NOTARY OFFICE INC</u> .	e information contained in this form is true to the be hensions, materials of construction, pressure tempe tandards. I further declare that the manufacture of the where fabrication occurs in whole or in part and has e and I make this solemn declaration conscientious nade under oath.
Jong Chan, Yoon and responsibility for the my knowledge represe ratings, and identification fittings is regulated by verified by ISD 9001-HSB believing it to be true, a Signature of Declarer.	he quality of the end prod into the product for which ion markings are in accor a Quality Control Prograt and knowing that it is of the T. (Young SAMSUNG LAW & I	duct do solemniy declare that the n registration is sought. The dim rdance with the herein named st m which extends to each plant v is being suitable for that purpose the same force and effect as if m	e information contained in this form is true to the be rensions, materials of construction, pressure temper tandards. I further declare that the manufacture of t where fabrication occurs in whole or in part and has e and I make this solemn declaration conscientious
Jong Chan, Yoon and responsibility for the my knowledge represe ratings, and identificati fittings is regulated by venfiled by 150 900-H85 believing it to be true, Signature of Declarer: Declared before me at	he quality of the end prod into the product for which ion markings are in accor a Quality Control Program and knowing that it is of the T. (Young SAHSUNG LAW & I of Dec. A	duct do solemniy declare that the registration is sought. The dim redance with the herein named sti- m which extends to each plant v is being suitable for that purpose the same force and effect as if m <u>NOTARY OFFICE IW</u> .	e information contained in this form is true to the be hensions, materials of construction, pressure tempe tandards. I further declare that the manufacture of th where fabrication occurs in whole or in part and has e and I make this solemn declaration conscientious nade under oath.
Jong Chan, Yoon and responsibility for the my knowledge represe ratings, and identificati fittings is regulated by verified by 150 5001-HSS believing it to be true, is Signature of Declarer: Declared before me aft This day	he quality of the end prod ints the product for which ion markings are in accor- a Quality Control Program and knowing that it is of th T. (Yom SAMSUNG LAW & I of <u>Pec.</u> A is T. (W	duct do solemniy declare that the registration is sought. The dim rdance with the herein named sit m which extends to each plant v is being suitable for that purpose the same force and effect as if m <u>NOTARY OFFICE INC</u> .	e information contained in this form is true to the be hensions, materials of construction, pressure tempe tandards. I further declare that the manufacture of th where fabrication occurs in whole or in part and has e and I make this solemn declaration conscientious nade under oath.
Jong Chan, Yoon and responsibility for the my knowledge represe ratings, and identification fittings is regulated by verified by 150 500-1655 believing it to be true, a Signature of Declarer: Declared before me at This day Commissioner of Oath	he quality of the end prod ints the product for which ion markings are in accor- a Quality Control Program and knowing that it is of th T. (Yom SAMSUNG LAW & I of <u>Pec.</u> A is T. (W	duct do solemniy declare that the registration is sought. The dim rdance with the herein named st m which extends to each plant v is being suitable for that purpose the same force and effect as if m <u>NOTARY OFFICE IW</u> . <u>AD 2019</u> <u>AD 2019</u>	e information contained in this form is true to the be hensions, materials of construction, pressure tempe tandards. I further declare that the manufacture of th where fabrication occurs in whole or in part and has e and I make this solemn declaration conscientious nade under oath.
Jong Chan, Yoon and responsibility for the my knowledge represe ratings, and identification fittings is regulated by verified by 150 500-1655 believing it to be true, a Signature of Declarer: Declared before me at This day Commissioner of Oath	he quality of the end prod into the product for which ion markings are in accor a Quality Control Program and knowing that it is of th T. (Young SAMSUNG LAW & I of Dec. A is Tay W (Affix Official seal to th	Auct do solemniy declare that the registration is sought. The dim redance with the herein named st m which extends to each plant v is being suitable for that purpose the same force and effect as if m <u>NOTARY OFFICE INC.</u> AD <u>2019</u> (AD <u>2019</u> (AD <u>2019</u> (AD <u>2019</u> ) (AD <u>2019</u> (AD <u>2019</u> ) (AD	e information contained in this form is true to the be hensions, materials of construction, pressure tempe tandards. I further declare that the manufacture of the where fabrication occurs in whole or in part and has e and I make this solemn declaration conscientious nade under oath. Use IN USE IN CONTRACT OF THE INFORMATION OF INTERCENT OF THE INFORMATION OF THE INFORMATION OF THE INTERCENT OF THE INFORMATION OF THE INFORMATION OF THE INFORMATION OF THE INTERCENT OF THE INFORMATION OF THE IN
Jong Chan, Yoon and responsibility for the my knowledge represe ratings, and identificabl fittings is regulated by verified by <u>iso son-tas</u> believing it to be true, - Signature of Declarer: Declared before me at This <u>18</u> <sup>th</sup> day Commissioner of Oath Or Notary Public: (sign	he quality of the end prod into the product for which ion markings are in accor a Quality Control Program and knowing that it is of th T. (Young) SAMSUNG LAW & I of Dec. A is (Affix Official seal to th This registration mu	fuct do solemniy declare that the registration is sought. The dim relates with the herein named sit m which extends to each plant v is being suitable for that purpose the same force and effect as if m <u>NOTARY OFFICE</u> I.K. <u>AD 2019</u> <u>AD 2019</u> <u>he right</u> <u>ANG</u> VOO	e information contained in this form is true to the be hensions, materials of construction, pressure tempe tandards. I further declare that the manufacture of the where fabrication occurs in whole or in part and has e and I make this solemn declaration conscientious hade under oath. Use the the solemn declaration conscientious I use the the the solemn declaration conscientious I use the the the solemn declaration conscientious I use the the the the the the the the the th
Jong Chan, Yoon and responsibility for the my knowledge represe ratings, and identificability verified by 150 toon-Has believing it to be true, - Signature of Declarer: Declared before me at This day Commissioner of Oath Or Notary Public: (sign CRN:0A1836	he quality of the end prod into the product for which ion markings are in accor a Quality Control Program and knowing that it is of th T. (Young SAMSUNG LAW & I of <u>Pec.</u> A is TM (Affix Official seal to th	Auct do solemniy declare that the registration is sought. The dim redance with the herein named st m which extends to each plant v is being suitable for that purpose the same force and effect as if m <u>NOTARY OFFICE INC.</u> AD <u>2019</u> (AD <u>2019</u> (AD <u>2019</u> (AD <u>2019</u> ) (AD <u>2019</u> (AD <u>2019</u> ) (AD	e information contained in this form is true to the be hensions, materials of construction, pressure tempe tandards. I further declare that the manufacture of the where fabrication occurs in whole or in part and has e and I make this solemn declaration conscientious nade under oath. Use IN USE IN CONTRACT OF THE INFORMATION OF INTERCENT OF THE INFORMATION OF THE INFORMATION OF THE INTERCENT OF THE INFORMATION OF THE INFORMATION OF THE INFORMATION OF THE INTERCENT OF THE INFORMATION OF THE IN
Jong Chan, Yoon and responsibility for the my knowledge represe ratings, and identificabl fittings is regulated by verified by <u>iso son-tas</u> believing it to be true, - Signature of Declarer: Declared before me at This <u>18</u> <sup>th</sup> day Commissioner of Oath Or Notary Public: (sign	he quality of the end prod into the product for which ion markings are in accor a Quality Control Program and knowing that it is of th T. (Young SAMSUNG LAW & I of Dec. A is (Affix Official seal to th This registration mu	Auct do solemniy declare that the registration is sought. The dim redance with the herein named st m which extends to each plant v is being suitable for that purpose the same force and effect as if m <u>NOTARY OFFICE INC.</u> AD <u>2019</u> (AD <u>2019</u> (AD <u>2019</u> (AD <u>2019</u> ) (AD <u>2019</u> (AD <u>2019</u> ) (AD	e information contained in this form is true to the be hensions, materials of construction, pressure tempe tandards. I further declare that the manufacture of the where fabrication occurs in whole or in part and has e and I make this solemn declaration conscientious nade under oath. Use Intercepting INTERCEPTING INTERCEPTING ON YEOUNG only use rs from the tage of acceptance Newfound(and Labrador
Jong Chan, Yoon and responsibility for the my knowledge represen- ratings, and identification fittings is regulated by verified by 160 0001-858 believing it to be true, is Signature of Declarer: Declared before me at This	he quality of the end prod into the product for which ion markings are in accor a Quality Control Program and knowing that it is of th T. (Young SAMSUNG LAW & I of Dec. A is (Affix Official seal to th This registration mu	Auct do solemniy declare that the registration is sought. The dim redance with the herein named st m which extends to each plant v is being suitable for that purpose the same force and effect as if m <u>NOTARY OFFICE INC.</u> AD <u>2019</u> (AD <u>2019</u> (AD <u>2019</u> (AD <u>2019</u> ) (AD <u>2019</u> (AD <u>2019</u> ) (AD	e information contained in this form is true to the be hensions, materials of construction, pressure temper tandards. I further declare that the manufacture of the where fabrication occurs in whole or in part and has e and I make this solemn declaration conscientious hade under oath. Use Interception of the solemn declaration conscientious index under oath. Use Interception of the solemn declaration conscientious Interception of the solemn declaration conscientious interception of the solemn declaration conscientious Newfound and Labrador Service NL
Jong Chan, Yoon         and responsibility for the my knowledge representations, and identifications is regulated by verified by 180 toor Head by 180 toor Head by 180 toor Head by 180 toor Head before me at This	he quality of the end prod into the product for which ion markings are in accor a Quality Control Program and knowing that it is of the <u>SAMSUNG LAW &amp; I</u> of <u>Dec.</u> A is <u>Tay W</u> (Affix Official seal to the This registration mul- 54.5 Add1	fuct do solemniy declare that the registration is sought. The dim redance with the herein named st m which extends to each plant v is being suitable for that purpose the same force and effect as if m <u>NOTARY OAFICE IK</u> . <u>NOTARY OAFICE IK</u> . <u>AD 2019</u> whe right <u>ANG WOO</u> This space for Regulatory Author ust be revalidated after ten (10) year nufactures.	e information contained in this form is true to the be hensions, materials of construction, pressure temper tandards. I further declare that the manufacture of the where fabrication occurs in whole or in part and has e and I make this solemn declaration conscientious hade under oath. Use the the construction of the Reference of acceptance Newfoundland Labrador Service NL Registered CATS 44.50 400.1
Jong Chan, Yoon         and responsibility for the my knowledge representations, and identifications is regulated by verified by 180 9001-885         believing it to be true, and the second s	he quality of the end prod into the product for which ion markings are in accor- a Quality Control Prograt and knowing that it is of the <u>SAMSUNG LAW &amp; I</u> of <u>Pec.</u> A is <u>Tay W</u> (Affix Official seal to the This registration mu- (Affix Official seal to the This registration mu- (Affix Official seal to the Afficial se	fuct do solemniy declare that the registration is sought. The dim redance with the herein named st m which extends to each plant v is being suitable for that purpose the same force and effect as if m <u>NOTARY OAFICE IK</u> . <u>NOTARY OAFICE IK</u> . <u>AD 2019</u> whe right <u>ANG WOO</u> This space for Regulatory Author ust be revalidated after ten (10) year nufactures.	e information contained in this form is true to the be hensions, materials of construction, pressure tempe tandards. I further declare that the manufacture of the where fabrication occurs in whole or in part and has e and I make this solemn declaration conscientious hade under oath. Use the the construction of the REFERENCE of the officient of the REFERENCE of the officient of the Reference of acceptance. Newfoundland Labrador Service NL Registered <u>CH 1934 So 4m</u> . I Date <u>20 [04] off</u>
Jong Chan, Yoon         and responsibility for the my knowledge representation is regulated by verified by 180 9001-885         believing it to be true, and the true of Declared before me at this	he quality of the end prod into the product for which ion markings are in accor- a Quality Control Prograt and knowing that it is of the <u>SAMSUNG LAW &amp; I</u> of <u>Pec.</u> A is <u>Term</u> (Affix Official seal to the This registration multiple (Affix Official seal to the This registration multiple Add 1 equistered in the name of the Mar- be supported with two Statutory porting documentation.	Auct do solemniy declare that the registration is sought. The dim redance with the herein named sit is being suitable for that purpose the same force and effect as if m <u>NOTARY OFFICE IK</u> . <u>NOTARY OFFICE</u> IK. <u>NOTARY OFFICE</u> IK. <u>NO</u>	e information contained in this form is true to the be hensions, materials of construction, pressure temper tandards. I further declare that the manufacture of the where fabrication occurs in whole or in part and has e and I make this solemn declaration conscientious hade under oath. Use the the construction of the Reference of acceptance Newfoundland Labrador Service NL Registered CATS 44.50 400.1
Jong Chan, Yoon and responsibility for the my knowledge represe ratings, and identification fittings is regulated by verified by 150 5001-855 believing it to be true, is Signature of Declarer: Declared before me at This	he quality of the end prod into the product for which ion markings are in accor- a Quality Control Prograt and knowing that it is of the <u>SAMSUNG LAW &amp; I</u> of <u>Pec.</u> A is <u>Tay W</u> (Affix Official seal to the This registration mu- (Affix Official seal to the This registration mu- (Affix Official seal to the Afficial se	Auct do solemniy declare that the registration is sought. The dim redance with the herein named sit is being suitable for that purpose the same force and effect as if m <u>NOTARY OFFICE IK</u> . <u>NOTARY OFFICE</u> IK. <u>NOTARY OFFICE</u> IK. <u>NO</u>	e information contained in this form is true to the be hensions, materials of construction, pressure tempe tandards. I further declare that the manufacture of the where fabrication occurs in whole or in part and has e and I make this solemn declaration conscientious hade under oath. Use the the construction of the REFERENCE of the officient of the REFERENCE of the officient of the Reference of acceptance. Newfoundland Labrador Service NL Registered <u>CH 1934 So 4m</u> . I Date <u>20 [04] off</u>
Jong Chan, Yoon and responsibility for the my knowledge represe ratings, and identificati titings is regulated by verified by 180 9001-168 believing it to be true, i Signature of Declarer: Declared before me at This <u>18</u> <sup>th</sup> day Commissioner of Oath Or Notary Public: (sign (CRN: <u>0A1836</u> FID#: <u>15311</u> Notes 1. All Fittings shall be m 2. Each Category shall and one copy of sup 3. The Declaration shall responsibility for the 4. Quality Control program	he quality of the end prod ints the product for which ion markings are in accor- a Quality Control Prograt and knowing that it is of the <u>SAMSUNG LAW &amp; I</u> of <u>Dec.</u> A is <u>Tayy</u> (Affix Official seal to the This registration mu- (Affix Official seal to the This registration mu- 64.5 Add1 egistered in the name of the Mar- be supported with two Statutory porting documentation. It be made by the person having quality of the end product.	fuct do solemniy declare that the registration is sought. The dim redance with the herein named st m which extends to each plant v is being suitable for that purpose the same force and effect as if m <u>NOTARY OAFICE IK</u> . <u>NOTARY OAFICE IK. <u>NOTARY OAFICE IK. <u>NOTARY</u></u></u>	e information contained in this form is true to the be hensions, materials of construction, pressure temper tandards. I further declare that the manufacture of the where fabrication occurs in whole or in part and has e and I make this solemn declaration conscientious nade under oath. Use the the office of the temperature Reference of the temperature Newfound land Labrador Service NL Registered OA 1/364.50 4m. I DateOCLOS Engineering and inservice offices Registered by A.
Jong Chan, Yoon and responsibility for the my knowledge represe ratings, and identificati fittings is regulated by verified by 150 000-485 believing it to be true, a Signature of Declarer: Declared before me at This <u>18</u> <sup>th</sup> day Commissioner of Oath Or Notary Public: (sign 'CRN: <u>0A1836</u> FID#: <u>15311</u> Notes 1. All Fittings shall be m 2. Each Category shall and one copy of sup 3. The Declaration shall responsibility for the 4. Quality Control prog	he quality of the end prod ints the product for which ion markings are in accor a Quality Control Prograt and knowing that it is of the <u>T. (Yow</u> <u>SAHSUNG LAW &amp; I</u> of <u>Dec.</u> A is (Aftix Official seal to the This registration multiple (Aftix Official seal to the the supported with two Statutory poorting documentation.) I be made by the person having quality of the end product.	fuct do solemniy declare that the registration is sought. The dim redance with the herein named sit is being suitable for that purpose the same force and effect as if m <u>NOTARY OFFICE IK</u> . <u>NOTARY OFFICE IK</u> . <u>NOTARY OFFICE IK</u> . <u>NOTARY OFFICE IK</u> . <u>NOTARY OFFICE IK</u> . <u>This space for Regulatory Author</u> ust be revalidated after ten (10) year nufacturer. ( Declaration forms ) full authority and Midation. Ig (I-Lok) series.	e information contained in this form is true to the be hensions, materials of construction, pressure temper tandards. I further declare that the manufacture of the where fabrication occurs in whole or in part and has e and I make this solemn declaration conscientious nade under oath. Use IN EXAMPLE Use IN EXAMPLE IN YEOUNG only use rs from the tate of acceptance Newfound land Labrador Service NL Registered CANSUL, 50 4m. I Date

•

.

.

	Yukon	Northwest Territories	Newfoundland and Labrador
Manufacturers Nan	10: BMT Ca., Ltd.	and a sub-state of the state of the	
Manufacturers Add	1885; 35. Senneticonademan	a 11-pil Yangsan-BLGysongsangsam-de Korea	
Categor	Sammaligongdansem (1-gil Yang of Elitikuma dar ber mender	tered. Circle one Category only	
B Flanges; all fanges G Valves; all line valves D Expansion joints, flex E Strainace, filters, ascor	Couplings, less, sibows, Y bis connections, and hose trains, and sharp trace	assemblies: all types	Titis of the Standard of Construction ASME B31.3
G Certified capacity-rate bollers, pressure vess H. Pressure retaining co	d pressure relief devices ac wis, piping and fusible plugs imponents that do not fail in	to one of the above categories	
Nuclear components:		lass S 🗆 , (Meeting CNSC or ABME requirements	s)
	SUPERI	Logo as it will appear on the product	Type of Construction Forged B Welded D Wrought D Cast O Other B Describe other:
50 W	SAL FILE		Machined
List of supporting de	cumentation and Iden	tification of the actual items to be registe	
eclaration: Jong Chen, Yoon nd responsibility for th	e quality of the end prod	JUCI do solemnly declare that the information	and being the person having full authority contained in this form is true to the best o
Jong Chen, Yaon Ind responsibility for the ty knowledge represen- tings, and identification tings is regulated by a artified by iso sources artified by iso sources allowing it to be true, a ignature of Declarer: eclared before me at his <u>18</u> <sup>th</sup> day commissioner of Oather	e quality of the end prod the product for which on markings are in accom- is Quality Control Program and knowing that it is of the <u>T. (Yow</u> <u>SAMSUNG LAW &amp; Nor Pec.</u> A Tag W	tuct do solemnly declare that the information registration is sought. The dimensions, ma dance with the herein named standards. If it is which extends to each plant where fabricas is being suitable for that purpose and I make the same force and effect as if made under o <u>NOTARY OFFICE IIK.</u> <u>UD 2019</u> Use the <u>Som Year</u> <u>USE TANG WOON YEO</u>	contained in this form is true to the best of leriels of construction, pressure temperatur urther declare that the manufacture of these tition occurs in whole or in part and has beet this solemn declaration conscientiously ath.
Jong Chen, Yoon nd responsibility for the ty knowledge represen- stings, and identification tings is regulated by a entired by iso ison-tesm entired by iso ison-tesm entired by iso ison-tesm entired by iso ison-tesm entired before me at this <u>/8<sup>th</sup></u> day to commissioner of Oather isonomissioner of Oather isonomissio	e quality of the end prod the product for which on markings are in accom- is Quality Control Program- and knowing that it is of the <u>T. (Yow</u> <u>SAMSUNG LAW &amp; A</u> of <u>Pec.</u> A <u>C. T. W</u> (Affix Official seal to the This registration musical search of the search o	buck do solemnly declare that the information registration is sought. The dimensions, ma dance with the herein named standards. If m which extands to each plant where fabrics is being suitable for that purpose and I make the same force and effect as if made under or NOTARY OFFICE INC. D 2019 Use the loss the same force and effect as if made under or NOTARY OFFICE INC.	contained in this form is true to the best of terials of construction, pressure temperatur unther declare that the manufacture of these tition occurs in whole or in part and has been this solernn declaration conscientiously ath.
Jong Chen, Yoon nd responsibility for the y knowledge represen- atings, and identification tings is regulated by as arfifed by iso contexts eliaving it to be true, a ignature of Declarer: tectared before me at his <u>/8</u> th day commissioner of Oaths ir Notary Public: (sign) CRN: <u>0A18364</u>	e quality of the end prod the product for which on markings are in accom- a Quality Control Program- and knowing that it is of the <u>SAMSUNG LAW &amp; A</u> of <u>Pec.</u> A <u>Jay</u> W (Affix Official seal to the	tuct do solemnly declare that the information registration is sought. The dimensions, ma dance with the herein named standards. If it m which extends to each plant where fabricas is being suitable for that purpose and I make the same force and effect as if made under or <u>NOTARY OFFICE INC.</u> Use the monomial standard of the same force and effect as if made under or <u>NOTARY OFFICE INC.</u> Decision Standard of the same force and effect as the same force and effect as if made under or <u>NOTARY OFFICE INC.</u> Decision Standard of the same force and effect as the same force and effect as the same force and the same force and effect as the same force and effect as the same force and the same force and effect as the	contained in this form is true to the best of terials of construction, pressure temperatur unther declare that the manufacture of these tition occurs in whole or in part and has been this solernn declaration conscientiously ath.
Jong Chen, Yoon Ind responsibility for the ty knowledge represen- stings, and kientification tings is regulated by aso- somistic some states and the second ignature of Declarer: tectared before me at his <u>/8<sup>th</sup></u> day a commissioner of Oaths we Notary Public: (sign) CRN: <u>0A18364</u> FID#: <u>15311</u>	e quality of the end prod the product for which on markings are in accom- is Quality Control Program- and knowing that it is of the <u>T. (Yow</u> <u>SAMSUNG LAW &amp; A</u> of <u>Pec.</u> A <u>C. T. W</u> (Affix Official seal to the This registration musical search of the search o	tuct do solemnly declare that the information registration is sought. The dimensions, ma dance with the herein named standards. If m which extends to each plant where fabricas is being suitable for that purpose and I make the same force and effect as if made under o <u>NOTARY OFFICE INC.</u> Use the <u>som Year</u> Use the me right) <u>TANG WOON YEO</u> This space for Regulatory Authority use. Ist be revailed after ten (10) years from the det	a contained in this form is true to the best of terials of construction, pressure temperatur unther declare that the manufacture of these tition occurs in whole or in part and has been this solernn declaration conscientiously ath.
Jong Chen, Yoon Ind responsibility for the ty knowledge represen- stings, and kientification tings is regulated by aso- somistic some stands of the second elieving it to be true, and ignature of Declarer: tectared before me at his <u>/8th</u> day commissioner of Oaths we Notary Public: (sign) CRN: <u>0A18364</u> FID#: <u>15311</u> Notes:	e quality of the end prod the product for which on markings are in accom- a Quality Control Program- and knowing that it is of the <u>SAMSUNG LAW &amp; A</u> of <u>Dec.</u> A <u>Control Pec.</u> A <u>Contr</u>	tuct do solemnly declare that the information registration is sought. The dimensions, ma dance with the herein named standards. If m which extends to each plant where fabricas is being suitable for that purpose and I make the same force and effect as if made under o <u>NOTARY OFFICE INC.</u> Use the <u>som Year</u> Use the me right) <u>TANG WOON YEO</u> This space for Regulatory Authority use. Ist be revailed after ten (10) years from the det	a contained in this form is true to the best of terials of construction, pressure temperatur unther declare that the manufacture of these tition occurs in whole or in part and has been this solernn declaration conscientiously ath.
Jong Chen, Yoon Ind responsibility for the ty knowledge represen- atings, and identification tings is regulated by a artified by <u>iso contests</u> elieving it to be true, a ignature of Declarer: tectared before me at his day commissioner of Oaths isommissioner of Oaths	e quality of the end prod the product for which on markings are in accom- a Quality Control Program- and knowing that it is of the <u>SAMSUNG</u> LAW & A of <u>Pec.</u> A (Affix Official seal to the This registration mut 4.5 Add1	Auct do solemnly declare that the information or registration is sought. The dimensions, ma dance with the herein named standards. If in m which extends to each plant where fabricas is being suitable for that purpose and I make the same force and effect as if made under or NOTARY OFFICE INC. IND 2019 Use the monometry ANGWOON YEO This space for Regulatory Authority use. rel be revailed after ten (10) years from the det wfacturer. Declaration forms	or contained in this form is true to the best of teriels of construction, pressure temperatur unther declare that the manufacture of these tion occurs in whole or in part and has been this solemn declaration conscientiously ath. UNION UNION UNION UNION UNION CONTRACTOR New Still Territoriles COISTERED
Jong Chen, Yoon Ind responsibility for the ty knowledge represen- atings, and identification tings is regulated by as entired by iso sources elieving it to be true, a ignature of Declarer: teclared before me at his <u>/8<sup>th</sup></u> day commissioner of Oaths in Notary Public: (sign) CRN: <u>0A18364</u> FIDM: <u>15311</u> Notes: 1. All Fittings shall be reg 2. Each Category shall be and one copy of suppo 3. The Declaration shall i responsibility for the generation	e quality of the end prod the product for which on markings are in accom- a Quality Control Program- and knowing that it is of the <u>SAMSUNG LAW &amp; A</u> of <u>Pec.</u> A <u>Control Program</u> (Affix Official seal to the This registration mu- 4.5 Add1 	Auct do solemnly declare that the information or registration is sought. The dimensions, mandance with the herein named standards. If in m which extends to each plant where fabrices is being suitable for that purpose and I make the same force and effect as if made under or NOTARY OFFICE INC. NOTARY OFFICE INC. Use the monometry of the same force and effect as if made under or NOTARY OFFICE INC. Use the monometry of the same force and effect as if made under or NOTARY OFFICE INC. Use the monometry of the same force and effect as if made under or NOTARY OFFICE INC. Use the monometry of the same force and effect as if made under or NOTARY OFFICE INC. Use the same force and effect as if made under or NOTARY OFFICE INC. Use the same force and effect as if made under or NOTARY OFFICE INC. No office and the same full suborty and NOTARY OFFICE INC. NOTARY OFFICE INC. No office and the same UNDER T THE BOIL	Contained in this form is true to the best of terials of construction, pressure temperatur unther declare that the manufacture of these this solernn declaration conscientiously ath.
Jong Chen, Yoon Ind responsibility for the y knowledge represen- atings, and identification tings is regulated by a artified by iso contess elieving it to be true, a ignature of Declarer: teclared before me at his <u>/8</u> <sup>th</sup> day commissioner of Oaths isommissioner of Oaths isommissio	e quality of the end prod the product for which on markings are in accom- a Quality Control Program- and knowing that it is of the <u>SAMSUNG LAW &amp; A</u> of <u>Pec.</u> A <u>Control Pec.</u> A <u>Contr</u>	Autor to solemnly declare that the information or registration is sought. The dimensions, mandance with the herein named standards. If in m which extends to each plant where fabrices is being suitable for that purpose and I make the same force and effect as if made under or NOTARY OFFICE INC. AD 2019 Use the method of the source of the same force and effect as if made under or NOTARY OFFICE INC. AD 2019 Use the method of the source of the sourc	Contained in this form is true to the best of terials of construction, pressure temperatur unther declare that the manufacture of these titlon occurs in whole or in part and has been this solernn declaration conscientiously ath. UI:JG UI:JG UI:JG Competitionies GISTERED HE AUTHORITY OF ER AND PRESSURE ESSEL ACT.
Jong Chen, Yoon Ind responsibility for the yeld responsibility for the stings, and identification tings is regulated by a arified by iso contexts elieving it to be true, a ignature of Declarer: teclared before me at his <u>/8th</u> day commissioner of Oaths fr Notary Public: (sign) CRN: <u>0A18364</u> FIDH: <u>15311</u> Notes: 1. All Fittings shall be reg 2. Each Category shall be and one copy of support and one copy of support 4. Quality Control program. Addition to include 11/2016 identical	e quality of the end prod the product for which on markings are in accom- a Quality Control Program- and knowing that it is of the <u>SAMSUNG LAW &amp; A</u> of <u>Pec.</u> A <u>Control Program</u> (Affix Official seal to the This registration mut 4.5 Add1 white a supported with two Statutory in riting documentation, as made by the person having for the Superiok 1-Fitting	Autor to solemnly declare that the information or registration is sought. The dimensions, mandance with the herein named standards. If in m which extends to each plant where fabrices is being suitable for that purpose and I make the same force and effect as if made under or NOTARY OFFICE INC. IDUes the main of the same force and effect as if made under or NOTARY OFFICE INC. IDUes the main of the same force and effect as if made under or NOTARY OFFICE INC. IDUes the main of the same force and effect as if made under or NOTARY OFFICE INC. IDUes the made under or NOTARY OFFICE INC. IDUes the main of the same force and effect as if made under or NOTARY OFFICE INC. IDUes the made under or INTARY OFFICE INC. IDUes the made under or IDUes the made under or ID	Contained in this form is true to the best of leriels of construction, pressure temperatur unther declare that the manufacture of these this solernn declaration conscientiously ath.
Jong Chen, Yoon Ind responsibility for the yeld responsibility for the stings, and identification tings is regulated by a arified by iso contexts elieving it to be true, a ignature of Declarer: teclared before me at his <u>/8th</u> day commissioner of Oaths fr Notary Public: (sign) CRN: <u>0A18364</u> FIDH: <u>15311</u> Notes: 1. All Fittings shall be reg 2. Each Category shall be and one copy of support and one copy of support 4. Quality Control program. Addition to include 11/2016 identical	e quality of the end prod the product for which on markings are in accom- a Quality Control Program- a Quality Control Program- a Research of Person- stand knowing that it is of the <u>SAMSUNG LAW &amp; A</u> of <u>Pec.</u> A <u>Control Program</u> <u>SAMSUNG LAW &amp; A</u> of <u>Pec.</u> A <u>Control Program</u> <u>SAMSUNG LAW &amp; A</u> of <u>Pec.</u> A <u>Control Pec.</u> A <u>Control Pec. A <u>Control Pec.</u></u>	Autor to solemnly declare that the information or registration is sought. The dimensions, mandance with the herein named standards. If in m which extends to each plant where fabrices is being suitable for that purpose and I make the same force and effect as if made under or NOTARY OFFICE INC. AD 2019 Use the method of the source of the same force and effect as if made under or NOTARY OFFICE INC. AD 2019 Use the method of the source of the sourc	Contained in this form is true to the best of leriels of construction, pressure temperatur unther declare that the manufacture of these this solernn declaration conscientiously ath.

- -

8

.

New Brunswick Nunavut	Nova Scotia Yukon	Prince Edward Isla Northwest Territorie		wfoundland and Labrador
Manufacturers Name:	BMT Co., Ltd			
Manufacturers Addres	ss;35, Sanmakgongdannam 11-gil 1		o Konsa	
	makgongdannam 11-gil Yangsan-Si,			
	f Fittings to be registered. puplings, tees, elbows, Ys, plug			Title of the Standard of Construction
B Flanges: all flanges C Valves: all fine valves				
	a connections, and hose assert	hilles: all types		ASME B31.3
E Streiners, filters, seperal	lors, and steam traps iding pressure gauges, level ga	unana alakt alaanaa lavat		
transmillers				
	ressure relief devices accepta , piping and fusible plugs	ble as primary over pressu	ure protection on	
H Pressure retaining comp	onents that do not fall into one	of the above categories		
N Nuclear components: C	Class 1 🗖 Class 2 🖬 Class 3	. (Meeting CNSC or As	SME requirements)	
Show Manufacturers N	leme. Trademark, or Lono	as it will appear on ti	he product	Type of Construction
				Forged III Welded a Wrought a Cast a Other III
	SUPERLO	JK -		Describe other:
		P 4 1		Machined
List of supporting doc	umentation and Identifica	tion of the actual item	s to be registered	1
Fitting Catalog de	sion drawings 19121	2-01-126-01 and	101212-01-13	26-02, previous registration
documents	oldu atawılığa tatırı		1	co-oz, previous registration
Goodinoma		辰間部	윤영	
		Sector Se	and the second se	
Declaration:				
Jong Chan, Yoon	(see note 3) emplo	yed by BMT Co., Ltd.	80	d being the person having full authority
and responsibility for the	quality of the end product de	o solemnly declare that	the information co	intained in this form is true to the best of lais of construction, pressure temperature
ratings, and identification	markings are in accordance	e with the herein name	i standards. I furth	her declare that the manufacture of these
fittings is regulated by a C verified by ISO 1001 HSE	Juality Control Program whi	ich extends to each pla	nt where fabricatio	n occurs in whole or in part and has been
belleving it to be true, and	knowing that II is of the sa	me force and effect as	if made under oath	is solemn declaration conscientiously
	TIY			
Signature of Declarer:	WANG I AND & UNT	BY NEELTE THE	8	商紀川」「「三日」
	AMRUNG LAW & NOTA	INT OFFICE LAND	eu	
This day of	Dec. AD	2019	Use there	
Commissioner of Oaths	Taylor	Vant	lēn	
Or Notary Public: (sign)	Varyburg	Annoluo	ANT MEAL	
	(Affix Official seal to the righ		UN YEUL	ING - LONE
	าไป This registration must be	is space for Regulatory Au	thority use PRE	SSU
CEN. 0A18364	.5 Add1	revendance alter ten (10) ;	Cars root the data o	Laterplater
Ciut.		,	S -	COTTA EST
FID#: 15311		(*	Dete Ju	25/20 F
Notes:		C	RN OAIG	
1	ered in the name of the Manufactur	rer.		364.58ADDI
2. Each Category shall be a and one copy of supporting	upported with two Statulory Declar ng decumentation.	NIGH KOTTINS DA	ng. as de	Scribed
3. The Declaration shall be responsibility for the qual	made by the person baving full out ity of the end product.	hority and S	igned your	and Pennin
4. Quality Control programs	shall be resubmitted for validation.	(	Lot	1 0
Addition to include th	e Superlok I-Fitting (I-L	LOK) SERIES.	Par Par	TI N5 Sect 1.0 - Fittings Rev.2
CRN expires Apr		-0.	REGI	ILATIO:
Contra entration of the	er i j da terda ter dar tar			

•

Barriel Barriel

.

New Brunswick Nunavut		Northwest Territories	
Manufacturers Nan		and the second	
Manufacturers Add	ress: 35, Sanmakgongdannam	11-gil Yengsan-Si,Gyeongsangnam-do Korea	
Plant Locations: 36.	Sanmakgongdannam 11-gil Yanga	an-Si,Gyeongsangnans-do Koree	
<ul> <li>(D) Pipe fillings, Including B Flanges: atl flanges</li> <li>C Valves: all the valves</li> <li>D Expansion joints, flex</li> <li>E Strainers, filters, seper</li> <li>F Measuring devices, is transmitters</li> <li>G Certified capacity-rate boilers, pressure vess</li> <li>H Pressure retaining co</li> </ul>	g couplings, tees, albows, Ys b dble connections, and hose a arators, and steam traps including pressure gauges, len- ad pressure relief devices acc sets, piping and fusible plugs imponents that do not fail into	vel gauges, sight glasses, levels, or pressure ceptable as primary over pressure protection on b one of the above categories	Title of the Standard of Construction ASME B31.3
N Nuclear components:	Class 1 Class 2 Cla	ss 3 0, (Meeting CNSC or ASME requirements)	
	SUPERL	OR	Forged B Welded D Wrought D Cast D Other B Describe other: Machined
List of supporting de	ocumentation and identi	fication of the actual items to be registere	d:
Jong Chan, Yson and responsibility for the ny knowledge represen- etings, and identification titings is regulated by a serified by <u>iso 1001-155</u> elleving it to be true, a signature of Declarer: Declared before me at his <u>/8</u> <sup>th</sup> day of	e quality of the end produ nts the product for which r on markings are in accord: a Quality Control Program as ind knowing that it is of the <u>T. ( Yorra</u> SAMSUNG LAW & No of <u>Pec.</u> AD	ct do solemnly declare that the information of egistration is sought. The dimensions, mater ance with the herein named standards. I furth which extends to each plant where fabricatio being suitable for that purpose and I make th a same force and effect as if made under oath DTARY OFFICE LIK.	has of construction, pressure temperature of checker that the manufacture of the in occurs in whole or in part and has be is solemn declaration conscientiously h.
Jong Chan, Yoon and responsibility for the ny knowledge represen- tatings, and identification titings is regulated by a eartified by <u>so sourcess</u> eeleving it to be true, a signature of Declarer; Declared before me at this <u>/844</u> day of commissioner of Oathe	e quality of the end produ nts the product for which r on markings are in accord a Quality Control Program as ind knowing that it is of the <u>T. (Yom</u> <u>SAHSUNG LAW &amp; Nil</u> of <u>Dec.</u> AD	ct do solemnly declare that the information or egistration is sought. The dimensions, mater ance with the herein named standards. I furth which extends to each plant where fabricatio being suitable for that purpose and I make th a same force and effect as if made under out	ontained in this form is true to the best of taks of construction, pressure temperate ther declare that the manufacture of the in occurs in whole or in part and has be is solemn declaration conscientiously h.
Ung Char, Yson and responsibility for the ny knowledge represen- atings, and identification titings is regulated by a certified by <u>iso sources</u> celleving it to be true, a signature of Declarer; Declared before me at this <u>/844</u> day of commissioner of Oathe	e quality of the end produ nts the product for which r on markings are in accord a Quality Control Program as ind knowing that it is of the <u>T. (Yom</u> <u>SAHSUNG LAW &amp; Nil</u> of <u>Dec.</u> AD	ct do solemnly declare that the information or egistration is sought. The dimensions, mater ance with the herein named standards. I furth which extends to each plant where fabricatio being suitable for that purpose and I make th a same force and effect as if made under oath DTARY OARICE TIK.	ontained in this form is true to the best of has of construction, pressure temperate ther declare that the manufacture of the on occurs in whole or in part and has be is solemn declaration conscientiously h.
ny knowledge represer atings, and kientificatio transport of beckarer: belleving it to be true, a Signature of Deckarer: Declared before me at his day of commissioner of Oaths or Notary Public: (sign) CRN: 0A18364 FiD#: 15311 Notas:	e quality of the end produ nts the product for which r on markings are in accord a Quality Control Program as ind knowing that it is of the <u>T. (Yom</u> <u>SAHSUHE LAW &amp; Nil</u> of <u>Dec.</u> AD <u>J. J. Wo</u> (Affix Official seal to the <u>This registration must</u> <u>1.5</u> Add1	ct do solemnly declare that the information or egistration is sought. The dimensions, mater ance with the herein named standards. I furth which extends to each plant where fabricatio being suitable for that purpose and I make the a same force and effect as if made under oath DTAKY OAKICE LIK. 2019 Use the month JANG WOON YEON This space for heatshow Althouty use. be revealed at a function ways from the date of Numavut Pro- REGIS	ontained in this form is true to the best of taks of construction, pressure temperate her declare that the manufacture of the in occurs in whole or in part and has be is solernn declaration conscientiously n.
Long Chair. Yoon ind responsibility for the hy knowledge represen- atings, and identification tings is regulated by an effect by 150 too:+xs effect by 150 too:+xs effect by 150 too:+xs effect by 150 too:+xs effect by 150 too:+xs big	e quality of the end products the product for which room markings are in accords a Quality Control Program as and knowing that it is of the <u>T. ( Yom</u> <u>sAHSUNG LAW &amp; Not <u>Pec.</u> AD <u>GATEX Official seal to the</u> <u>This registration must</u> <u>1.5</u> Add1</u>	ct do solemnly declare that the information of egistration is sought. The dimensions, mater ance with the herein named standards. I furth which extends to each plant where fabricatio being suitable for that purpose and I make th a same force and effect as if made under oath <u>DTARY OFFICE LIK.</u> <u>2019</u> Use the <u>1000</u> This space for flect astory Africanty use. be reveiled at a final day of the date of Numavut Pri- REGIS acturer. claration forms	ontained in this form is true to the best of taks of construction, pressure temperate ther declare that the manufacture of the in occurs in whole or in part and has be is solernn declaration conscientiously in.
Long Char. Yoon and responsibility for the ny knowledge represent atings, and kientification titings is regulated by a rerified by iso son-tass evelowing it to be true, a Signature of Declarer: Declared before me at this <u>/8</u> <sup>th</sup> day of Commissioner of Oathe Dr Notary Public: (sign) Commissioner of Oathe Dr Notary Public: (sign) CRN: <u>0A18364</u> FID#: <u>15311</u> Notas: 1. All Pitings shell be region 2. Each Category shell be and one copy of suppo 3. The Declaration shell b responsibility for the gu	e quality of the end products the product for which rommarkings are in accords a Quality Control Program as and knowing that it is of the <u>T. (Yorm</u> <u>SAHSUNG LAW &amp; Nilon Dec.</u> AD <u>G. Dec.</u>	ct do solemnly declare that the information or egistration is sought. The dimensions, mater ance with the herein named standards. I furth which extends to each plant where fabricatio being suitable for that purpose and I make th a same force and effect as if made under oath DTARY ORVICE INC. 	ontained in this form is true to the best of taks of construction, pressure temperate ther declare that the manufacture of these is solernn declaration conscientiously in.
Ung Chan, Yoon and responsibility for the ny knowledge represen- atings, and identification transfer and identification transfe	e quality of the end products the product for which rommarkings are in accords a Quality Control Program as and knowing that it is of the standard to the standard with two Statutory De standard to the period with two Statutory De standard to the standard	ct do solemnly declare that the information or egistration is sought. The dimensions, mater ance with the herein named standards. I furth which extends to each plant where fabricatio being suitable for that purpose and I make th a same force and effect as if made under oath DTARY OARICE LIK. 	ontained in this form is true to the best of taks of construction, pressure temperate ther declare that the manufacture of the in occurs in whole or in part and has be is solernn declaration conscientiously in.



345 Carlingview Drive Toronto, Ontario M9W 6N9 Tel.: 416.734.3300 Fax: 416.231.1626 Toll Free: 1.877.682.8772

www.tssa.org

May 06, 2020

TIM COZENS A R THOMSON GROUP 215 CLEARSKYE WAY RED DEER AB T4E 0A1 CA

Service Request Type: BPV-Fitting Registration Service Request No.: 2766362 Your Reference No.: Registered to: BMT CO LTD

Dear TIM COZENS,

Technical Standards and Safety Authority (TSSA) is pleased to inform you that your submission has been reviewed and registered as follows:

#### CRN No.: 0A18364.5ADD1 Main Design No.: Superlok I-Fittings per Pressure Rating Charts attached to the Statutory Declaration

#### Expiry Date: 04-Apr-2026

Please be advised that a valid quality control system must be maintained for the fitting registration to remain valid until the expiry date.

A stamped copy of the approved registration and invoice for engineering services will be sent to you shortly. Should you have any questions or require further assistance, however, please contact a Customer Service Advisor at 1.877.682.TSSA (8772) or e-mail customerservices@tssa.org. We will be happy to assist you. When contacting TSSA regarding this file, please refer to the Service Request number provided above.

Yours truly, Jacue Lok

Zivko Gacevic P. Eng. Mechanical Engineer, BPV Tel.: 416-734-3429 Fax: 416-231-6183 Email: zgacevic@tssa.org



Technical Standards and Safety Authority 345 Carlingview Drive Toronto, Ontario M9W 6N9 www.tssa.org

Show facsimile of manufacturer's logo or trademark, as it will appear on the fitting, in the space below

STATUTORY DECLAR Registration of Fitting	
	s
Jong Chan Yoon, President (Name and Position, e.g. President, Plant Manager, Chief	Engineer
	Ligineery
of BMT Co., Ltd (Name of Manufacturer)	
ocated at 35 Sanmakgongdannam 11-gil Yangsan-Si Gyeongsangnam-do Ko	+82-55-783-1067 +82-55-783-1090
(Plant Address)	(Telephone No.) (Fax No.)
do solemnly declare that the fittings listed hereunder, which are subject to the and Pressure Vessels Regulation, comply with all of the requirements of ASME B31.3	ESE
ASIVIE BS1.5 (Title of recognized North American Standard)	
which specifies the dimensions, materials of construction, pressure/temperature rating	
or are not covered by the provisions of a recognized North American standard as supported by the attached data which i	and are therefore manufactured to comply wit identifies the dimensions, material of construction
pressure/temperature ratings and the basis for such ratings, the marking of the f	
further declare that the manufacture of these fittings is controlled by a quality system r which has been verified by the following authority, <u>HSB Registration</u> . The items covered by this declaration, for which I seek registration, are category	
his application, the following information and/or test data are attached as follows:	
Fitting Catalog, design drawings 191212-01-126-01 and 191212-01-126-02, previo	ous registration documents
(drawings, calculations, test reports, etc.)	
Declared before me at <u>City of Yang San</u> in the <u>Gyeong</u>	40ngnom-Do of Korea
he <u>18 + day of Pec.</u> AD 20 <u>19</u> .	
Commissioner for Oaths:	
JANG WOON YEOUNG (Printed name)	
Jan woon year	T.e. Kom
(Signature)	(Signature of Declarer)
FOR OFFICE USE ONLY	
o the best of my knowledge and belief, the application meets the requirements of the	Technical
"echnical Standards and Safety Act, Boilers and Pressure Vessels Regulation, and	Standards Bollers and
SA Standard B51 and is accepted for registration in Category	and Safety Pressure Vesse Authority Safety Progra
CRN: <u>OA18J64.5 ADD1</u>	REGISTERED
Registered by: <u>Zivko Gaceuc</u>	C.R.N.: OA18364.5 ADD1
Dated: Mary 6, 2020	Signed: Lyon Th
IOTE: This registration expires on: Bor. 4,2028	Data: May 6, 2070

\*Information provided in this application is releasable under the Freedom of Information and Privacy Protection Act and may be disclosed upon request. PV 09553 (04/17)

Note: See attached documents for Scope of Registration 2.6. 5/6/20

## 법무법인 삼 성

등부 2019 년 제 **2245** 호

Registered No. 2019 - 2245

## 인 증

위 **등록 신청서** 에 기재된 촉탁인 **주식회사 비엠티 대표이사 윤종찬** 의 대리인 김민지는 본 공증인의 면 전에서 위 사서증서에 위 본인이 기 명날인한 것임을 확인하였다.

Right Scale

2019 년 12 월 18 일 이 사무소 에서 위 인증한다.

# Notarial Certificate


MINJI KIM attorney-in-fact of JONG CHAN, YOON, President of BMT Co., Ltd. appeared before me and admitted principal's subscription to the attached

the STATUTORY DECLARATION Registration of Fittings.

This is hereby attested on this 18<sup>th</sup>day of DEC., 2019. at this office.

## SAMSUNG LAW & NOTARY OFFICE INC.

Belong to Ulsan District Prosecutor's Office 168, Jungang-Ro, Yangsan-City, Gyeongsangnam-do, Korea.



Signature of the Notary Public

JANG WOON YEOUNG

This office has been authorized by the Minister of Justice, the Republic of Korea to act as Notary Public since Feb. 7. 2015. under Law No. 220.

법무법인 삼 성 소속 울산지방검찰청

경남 양산시 중앙로 168. 2층

공증담당 6 변호사

Registered No. 2019 - 2245

# NOTARIAL CERTIFICATE

## SAMSUNG LAW & NOTARY OFFICE INC.

Belong to Ulsan District Prosecutor's Office 168, Jungang-Ro, Yangsan-City, Gyeongsangnam-Do, Korea

TEL: +82 55 372-5599

210×297mm(보존용지 1종)70g/m\*



TABLE 1 - TUE	BE COMPRESSION FITTINGS	<b>S</b>
Nominal Tube Size (inch)	Pressure Rating (psi)*	Fitting Type**
1/4	10,200	SUI(5), SRUI(6), SUEI(10),
3/8	6,500	SUTI(17), SRUTI(18),
1/2	6,700	SUCI(24), SRI(26),
3/4	5,800	SPWCI(29), SMPWEI(29),
1	4,700	SSWCI(30), SSWEI(30)

\*Pressure rating at 100F

\*\*Number in () corresponds to Superlok Tube Fittings catalogue page

Fittings excluded from registration scope:

SSWEI 16

TABLE 2 - MALE	NPT & ISO TAPERED FITTIN	GS
Nominal Thread Size (inch)	Pressure Rating (psi)*	Fitting Type**
1/4	8,000	
3/8	7,800	SMCI(7), SMEI(12),
1/2	7,700	SHMEI(11), SMBTI(19),
3/4	7,300	SMRTI(21), SOPCI(27)
1	5,300	

\*Pressure rating at 100F

\*\*Number in () corresponds to Superlok Tube Fittings catalogue page

Fittings excluded from registration scope:

SMEI 16

TABLE 3 - FEMAL	E NPT & ISO TAPERED FITTIN	IGS
Nominal Thread Size (inch)	Pressure Rating (psi)*	Fitting Type**
1/4	6,600	SFCI(8), SFEI(16), SFBTI(22), SFRTI(23)
3/8	5,300	
1/2	4,900	
3/4	4,600	
1	4,400	

\*Pressure rating at 100F

\*\*Number in () corresponds to Superlok Tube Fittings catalogue page



TABLE 4 - NON-P	OSITIONABLE SAE/MS FITTING	S
Nominal Thread Size (inch)	Pressure Rating (psi)*	Fitting Type**
7/16	4,568	
9/16	4,568	SSMCI(28)
3/4	4,568	
7/8	3,626	
1-1/16	3,626	
1-5/16	2,900	

\*Pressure rating at 100F

\*\*Number in () corresponds to Superlok Tube Fittings catalogue page

TABLE 5 - POS	ITIONABLE SAE/MS FITTING	iS
Nominal Thread Size (inch)	Pressure Rating (psi)*	Fitting Type**
7/16	4,568	- SPHMEI(13), SPMEI(14), - SPMBTI(20)
9/16	3,626	
3/4	3,626	
1-1/16	2,900	
1-5/16	2,320	

\*Pressure rating at 100F

\*\*Number in () corresponds to Superlok Tube Fittings catalogue page

Fittings excluded from registration scope:

SPHMEI 6/8/12/16

TABLE 6 - A	N (JIC) STRAIGHT FITTINGS	
Nominal Thread Size (inch)	Pressure Rating (psi)*	Fitting Type**
7/16	10,000	SAUI(25)
9/16	8,200	
3/4	8,200	
1-1/16	7,000	

\*Pressure rating at 100F

\*\*Number in () corresponds to Superlok Tube Fittings catalogue page

TABLE 7 -	ISO PARALLEL FITTINGS	
Nominal Thread Size (inch)	Pressure Rating (psi)*	Fitting Type**
1/4	4,568	SGCI(9), SOSCI(27)
3/8	4,568	
1/2	2,320	
3/4	2,320	
1	2,320	

\*Pressure rating at 100F

**\*\***Number in () corresponds to Superlok Tube Fittings catalogue page

Fittings excluded from registration scope:

SGCI 4

SOCI 12/16

THIS IS PART OF CRN 0 A 18364 5 A001 Technical Standards & Safety Authority Boilers & Pressure Vessels Safety Program

New Brunswick Nunavut

,

.

٠,

.

Nova Scotia Yukon Prince Edward Island Northwest Territories Newfoundland and Labrador

;

. .

12,

Ser.

Manufacturers Name; BMT Co., Ltd.	
Manufacturers Address: 35, Semmekgongdannam 11-gil Yangsan-Bi, Gyeongsangnam-do Korea	ter i an anna an a
Plant Locations: 35, Samakgeogdeniam 11-gil Yangsan-Si,Gyeongsangnam-do Korea         Category of Fittings to be registered. Circle one Category only         D Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers         B Flanges: all fittings         C Valves: all fittings         D Expansion Joints, flexible connections, and hose assemblies: all types         E Strainers, filters, separators, and steam traps         F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters         G Cartified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs         H Pressure retaining components that do not fall into one of the above categories         N Nuclear components:       Class 1 Class 2 Class 3 C, (Meeting CNSC or ASME requirements)         Show Manufacturers Name, Trademark, or Logo as it will appear on the product	Type of Construction Forged Welded D Wrought D
2. SUPERLOK	Cast a Other M Describe other: Machined
List of supporting documentation and identification of the actual items to be registered	ed:
ind responsibility for the quality of the end product do solemnly declare that the information of ny knowledge represents the product for which registration is sought. The dimensions, mate atlong, and identification markings are in accordance with the berein named standards. I fur	erials of construction, pressure temperature the the sector of these the the the manufacture of these these these these temperatures are the these temperatures are the temperatures are temperatures are the temperatures are temperatures are temperatures are the temperatures are tempe
tings is regulated by a Quality Control Program which extends to each plant where fabricatings is regulated by a Quality Control Program which extends to each plant where fabricating it is so sources and it make the alleving it to be true, and knowing that it is of the same force and effect as if made under our of Declarer: $\Box$ (Comparison of Declarer: $\Box$ (Com	his solemn declaration conscientiously
ommissioner of Oaths Jan Von Year (R r Notery Public: (sign) Jang Worn Year (Affix Official seel to the right) JANG WOON YEO	UNG
This space for Regulatory Authority use. This registration must be revaildated after ten (10) years from the date CRN:0A18364.5 Add1 ACCE	PTED
FID#: 15311 PROVINCE OF PRINC Notes: COMMUNITIES, LAN	D & ENVIRONMENT
All Fittings shall be registered in the name of the Manufacturer.     Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.     The Declaration shall be made by the person having full authority and responsibility for the quality of the end product.     C.R.N. OAI     DATE:	6364.59 Add1
Quality Control programs shall be resubmitted for velidation.     Addition to include the Superlok I-Fitting (I-Lok) series.     INSPECTION SE	RVICES SECTION1.0 - Filtings Rev.2

Direction générale de l'inspection

0RQWUpDO -XQH

056 7\$1<\$)5\$1&,6 7(&+1,&\$/67\$1'\$5'6 6\$)(7<\$87+25,7< &\$5/,1\*9,(:'5,9( 7252172 217\$5,2 &\$1\$'\$ 0:1

0DQXIDFWXUHU %07 &2 /7' 6\$10\$.\*21\*'\$11\$0 \*,/ <\$1\*6\$1 6, \*<(21\*\*, '2 .25(\$

2XU UHIHUHQFH 'HVLJQ QXPEHU 683(5/2.,),77,1\*6 3(5 35(6685( 5\$7,1\* &+\$576

6XEMH5FHWJLVWUDWLRQ-R&IRQEHLWLLPJDQW/LRQ RIDSSURYDO

'HDU 0DGDP

7KH 5pJLH GX EKWLPHQ0%0/4GKQ417RpUEPHVF\RX WKDW \RXU DSSOLFDWLRQ IR GHVLJQV KDV EHHQ HYDOXDWHG DQG WKDW WKH GHVLJQ ZDV UHJLVV 1XPEHU ?N&(5&1 \$

:H EULQJ \RXU DWWHQWLRQ WKLV UHTXLUHPHQW RI WKH UHJXODWLR WKH FRGHV DQG VWDQGDUGV DGRSWHG

 7KH PDQXIDFWXUHU PXVW PDLQWDLQ D YDOLG TXDOLW\ FRQWUR WKH & 51

7KLV QRWLFH RI DSSURYDO GRHV QRW UHOLHYH WKH FRQVWUXFWRU GHVLJQ RU FRQVWUXFWLRQ RI HTXLSPHQW PDQXIDFWXUHG DFFRUGLO

<RXUV VLQFHUHO\

Bureau d'expertise et d'homologation H @ TXLSHPHQWV VRXV SUHVVLRQ

WZ ^ ^ hZ Z d / E ′ , Z d ^ & K Z ^ hW Z > K < / DW Z / > d

d > í	rdh KDW	Z^^/KE&/do	⊂ / E′^
E}u]vodµ^]Ì	~ ] V Z	W µ Z	VP~]&]
í l ð	íìUîìì	^h/~æU^Zł	n/~òU^h/~íì∣
ΪĺÔ	òUæìì	^hd∕~íó U	↑Zhd∕~íô U
í l î	òUóìì	^h /~îð U	^Z/~îò U
ΪΙð	æUôìì	^Wt /~îı U	ĺDWt ∕~îı U
í	ðUóìì	^^t /~ïì U	^ ^ t / ~ ïì
Wµ]vP íì	ì &		-

Eμu ]v~} }v }^μ o}ldμ &] ]vP o}Pμ &] ]vP oμ (}u P] ]}v }W ^^t/íò

d > î r	D > EWd	/^KdWZ	& / d d / E ′ ^
E } u ] v o d Z ^ ]	ì~]vZ	Wμ	Z]VP~] &
ílð	ôUììì		
ΪΙÔ	óUôìì	^ D / ~ ó U	^D /~íî U
í l î	óUóìì	^, D /~íí U	I∕ID d∕~íi U
ΪΙð	óUïìì	^ D Z d / ~ î í	U ^ K W / ~ î ó
Í	æUïìì		
	ì &		
Eµu ]v~}	}v } ^ µ	o}Idµ &]	] v P o } P µ

&]]vP ັομ (}u P] ]}v } W ^D/íò

/^KdWZ &/dd/E'^ d > ïr&D>EWd E u v o dZ^ ]|Ì ~]v Z Ψμ Ζ ]vP~] & ílð òUòìì æUïìì ïΙÔ ^& /~ô U ^& /~íò U ílî ðUıìì ^ & d / ~ î î U ^ & Z d / ~ î ï Ϊĺð ðUòìì ðUðìì í ] v P íìì& W μ }v }^µ o}ldµ &]]vP o}Pµ Eµu ]v~}

de conciliation

WZ ^ ^ h Z Z d / E ′ , Z d ^ & K Z ^ h W Z > K < / D W Z / >

d > ð r EKErWK^/d/KE > ^ ID^ &/dd/E'^
E}u]vodZ^]ì~]vZWµZ]vP~]
ólíò ðUæòô
ılíò ð Uæòô
110     00 æ 00     ^ D       ólô     ï U òî ò     ^ O
írílíò ïUòîo
írælíò îUıìì
Eµu ]v~}}v }^µo}ldµ&]]vPo}Pµ
d > ærWK^/d/KE > ^ ID^&/dd/E'^
E}u]vodZ ^]ì~]vZ W µ Z]vP~]
ólíò ðUæòĉ
Ilíò ÏUòìò ^W,D/~íĭU ^WD/~íð U
írílío îUiìì
írælíò îUïî
W μ ]vP íìì&
Eμu ]v ~ } }v } ^μ o}l dμ &] ]vP o}Pμ
&]]vP oµ (}u P] ]}v } W
^W,D / òlôlíîlíò
d > ò r E ~:/ ^ dZ / ' , d & / d d / E ' ^
$\frac{u > 0}{1 - v Z} = \frac{u > 0}{1 - v Z} = \frac{u > 0}{1 - v Z} = \frac{u > 0}{1 - v Z}$
$\begin{array}{c c c c c c c c c c c c c c c c c c c $
$\begin{array}{c c c c c c c c c c c c c c c c c c c $
írílíò óUììì
$W \mu ] V P (i) \&$
$E\mu u ] v \sim \} v \rangle^{\mu} o \} [d\mu \&] ] v P o \} P \mu$
d > ór / ^ K W Z > > > & / dd / E ′ ^
E}u]vodZ ^]ì~]vZ W µ Z]vP~]
í lð ð Uæòô
ïlô ðUæòô
ílî îUïîì ^′/~ıU^K^/~îó
ï Ι ð î U ï î ì
í î U ï î ì
W µ ]vP íìì&
$E\mu u ] v \sim \} \} v \} \wedge \mu o \} [ d\mu_{etréauo} ] v P o \} P \mu$
^K / íîlíò Régie du bâtiment
Québec 🐱 🦝
Reard de conciliation nec
W P î } ( î



## 법무법인 삼 성

Registered No. 2019 - 2246

# NOTARIAL CERTIFICATE

# SAMSUNG LAW & NOTARY OFFICE INC.

Belong to Ulsan District Prosecutor's Office 168, Jungang-Ro, Yangsan-City, Gyeongsangnam-Do, Korea



TEL: +82 55 372-5599

210×297mm(보존용지 1종)70g/m



Montréal, 8 juin 2020

MME TANYA FRANCIS TECHNICAL STANDARDS & SAFETY AUTHORITY 345 CARLINGVIEW DRIVE TORONTO ONTARIO CANADA M9W6N9

Fabricant : BMT CO LTD 35 SANMAKGONGDANNAM 11-GIL YANGSAN-SI GYEONGGI-DO KOREA 050568

Numéro de dossier : 951118 Numéro(s) de dessin (s) . SUPERLOK I-FITTINGS PER PRESSURE RATING CHARTS

## Objet : Enregistrement des plans et devis - Confirmation de l'enregistrement

Madame,

La Régie du bâtiment du Québec (RBQ) vous informe que votre demande d'enregistrements de plans et devis a été traitée et que cette conception a été enregistrée sous le numéro d'enregistrement canadien (NEC\CRN) : 0A18364.56

Nous portons à votre attention cette exigence applicable à la règlementation sur les installations sous pression et des codes et normes qui y sont associés :

 Le constructeur doit maintenir un système de contrôle de la qualité valide pour fabriquer selon ce NEC.

Le présent avis d'approbation ne dégage pas le constructeur de ses responsabilités quant à la conception ou à la construction des équipements fabriqués selon ce NEC.

Salutations distinguées,

Bureau d'expertise et d'homologation en équipements sous pression

Montrial 545, boul. Criemazie Est, 7º étage Montréal (Québec) H2M 2V2 Téléphone : 514 873-6459 Sans frais : 18 66 262-2084 Mntwurbo.com/v.oc.ca



Montréal, June 08, 2020

MRS TANYA FRANCIS TECHNICAL STANDARDS & SAFETY AUTHORITY 345 CARLINGVIEW DRIVE TORONTO ONTARIO CANADA M9W6N9

Manufacturer : BMT CO LTD 35 SANMAKGONGDANNAM 11-GIL YANGSAN-SI GYEONGGI-DO KOREA 050568

Our reference : 951118 Design number : SUPERLOK I-FITTINGS PER PRESSURE RATING CHARTS

### Subject: Registration of designs - Confirmation of approval

#### Dear Madam,

The Régie du bâtiment du Québec (RBQ) informs you that your application for the registration of designs has been evaluated and that the design was registered under the Canadian Registration Number (CRNNEC) : 0A18364.56

We bring your attention this requirement of the regulation respecting pressure installations, and the codes and standards adopted:

The manufacturer must maintain a valid quality control program to produce according to the CRN.

This notice of approval does not relieve the constructor of his responsibilities with respect to the design or construction of equipment manufactured according to this CRN.

Yours sincerely,

Bureau d'expertise et d'homologation en équipements sous pression

Montrial 545, boul. Crémazie Est, 7º étage Montréal (Québec) H2M 2V2 Téléphone : 514 873-6459 Sans frais : 1 866 262-2084 Www.sbo.couv.oc.ca Régie du bitiment Québec

## Statutory Declaration Registration of Fittings

....

(a) Design Qualification

11		Jong Chan, Yoon	
	()	Vame of applicant)	
_	Presid		
	(Position ag, presid	lent, plant manager, chief ang.)	
of _	BMT	Co., Ltd.	
	(ner	ne of company)	
Loca	ted at 35. Sanmakoonodanou	am 11-gil Yangsan-Si,Gyeongsang	nam do Koras
	(p	Hent eddress)	
do s	blemnly declare that the fittings listed hereunder, which are	subject to the Bollers & Pressure	Vessels Act.
	comply with all the requirements of the ANSI/ASME coo	ten en te thete dimensione meterie	I Identification & surder & state
	required: ASME B31.3		, identification & service for which are
Or		RMarzall	
-	an estimated by the second state of the second	and a second	
	are not covered by the provisions of the ANSI/ASME standard, and are designed to the best current engineer	codes, and are therefore constru- ing practice, as shown by the supp	cted to comply with code and orting test data
(b)	Quality control of Manufacture		
Ehrt	her declare the manufacture of these fittings is controlled b	was seen the sentent management which a	and the second star second second second
ASM	E, and has been verified by the following authority or authority	orizad agancy ISO 9001-HSB	compare with the rednatements of
The	littings <sup>2</sup> covered by this declaration, for which I seek registr	ration, and HLok Fittings	
Fitt	pport of the application, the following information, calculating Catalog, design drawings 191212-01-128-01 and 1912: ared before me at CRby of Yaring Loui	ons and/or test data are attached 12-01-128-02, previous registration	documents
in th			
The	18th day of Dec. A	D 2019	
	TILIA		~
	Jay woon year YEOUNG	Jal	horn
	O TANG YOUN YEOUNG	Sig	nation of Declarer"
-	Ent O	Motel Use Only	
Th	e application is accepted for registration in Category	in accordance with th	e Bollers ingests Act
an	CSA Standard 851.		e Bollers
Th	s registration must be revalidated after ten (10) years from	the date of socialized	JANDHA.AN
			Régie
			Régie du bâtiment
Re	gistered Number CRN	For the Chief Inspector	Québec -
		Date	
			1977 Te conpliant
		and the second second second	o'de concilianu'

<sup>1</sup> Three completed apples of Stelutory Declaration form together with three copies of Catelogs, drawings of Bulletine Illustrating above fittings ahell be submitted.
 <sup>2</sup> All fittings are required to iso registered in the name of the Manufacturer.
 <sup>3</sup> This form shall be completed and signed by the president or highest official in the manufacturing plant where the fitting is produced.

ATUTORY BOOLANKING ABOUDDANING OF ATTANDED OC

## 법무법인 삼 성

Registered No. 2019 - 2246 동부 2019 년 제 2246 호 Notarial Certificate **()** 증 MINJI KIM attorney-in-fact of 위 등록 신청서 얘 기재된 촉탁인 JONG CHAN, YOON, President of 쭈식회사 비엠티 대표이사 윤종찬 BMT Co., Ltd. appeared before me 의 대리인 김민지는 본 공중인의 면 and admitted principal's subscription to 전에서 위 사서중서에 위 본인이 기 the attached 명날인한 것임을 확인하였다. STATUTORY DECLARATION the Registration of Fittings. RMalaa This is hereby attested on this 18th day 2019 년 12 월 18 일 이 사무소 of DEC., 2019. at this office. 에서 위 인증한다. SAMSUNG LAW & NOTARY OFFICE INC. Belong to Ulsan District Prosecutor's Office 8 번루번인 168, Jungang-Ro, Yangsan-City, 소속 을산지방경학형 Gyeongsangnam-do, Korea. 경남 양산시 중앙로 168. 2층 공중담당 변호사 Signature of the Notary Public WOON YEOUNG JANG This office has been authorized by the Minister of Justice, the Republic of Korea to act as Notary Public since Feb. 7. 2015. under

Law No. 220.

210×297mm(보존용지 1중)70g/#



## 법무법인 삼 성

Registered No. 2019 - 2246

# NOTARIAL CERTIFICATE

SAMSUNG LAW & NOTARY OFFICE INC. Belong to Ulsan District Prosecutor's Office 168, Jungang-Ro, Yangsan-City, Gyeongsangnam-Do, Korea

TEL : +82 55 372-5599

210~197084(원종국제 1종)708/8

TABLE 1 - TL	<b>IBE COMPRESSION FITTINGS</b>	5
Nominal Tube Size (inch)	Pressure Rating (psi)*	Fitting Type**
1/4	10,200	SUI(5), SRUI(6), SUEI(10) SUTI(17), SRUTI(18),
3/8	6,500	
1/2	6,700	SUCI(24), SRI(26),
3/4	5,800	SPWCI(29), SMPWEI(29),
1	4,700	SSWCI(30), SSWEI(30)

\*Pressure rating at 100F

\*\*Number in () corresponds to Superiok Tube Fittings catalogue page

Fittings excluded from registration scope:

SSWEI 16

TABLE 2 - MALE	NPT & ISO TAPERED FITTIN	GS
Nominal Thread Size (inch)	Pressure Rating (psi)*	Fitting Type**
1/4	8,000	SMCI(7), SMEI(12), SHMEI(11), SMBTI(19), SMRTI(21), SOPCI(27)
3/8	7,800	
1/2	7,700	
3/4	7,300	
1	5,300	

\*Pressure rating at 100F

\*\*Number in () corresponds to Superlok Tube Fittings catalogue page

Fittings excluded from registration scope:

SMEI 16

TABLE 3 - FEMAL	E NPT & ISO TAPERED FITTIN	IGS
Nominal Thread Size (inch)	Pressure Rating (psi)*	Fitting Type**
1/4	6,600	
3/8	5,300	
1/2	4,900	SFCI(8), SFEI(16),
3/4	4,600	SFBTI(22), SFRTI(23)
1	4,400	

\*Pressure rating at 100F

\*\*Number in () corresponds to Superlok Tube Fittings catalogue page



#### PRESSURE RATING CHARTS FOR SUPERLOK IMPERIAL TUBE I-FITTINGS

TABLE 4 - NON-P	OSITIONABLE SAE/MS FITTING	5S
Nominal Thread Size (inch)	Pressure Rating (psi)*	Fitting Type**
7/16	4,568	a magazi nasa me
9/16	4,568	
3/4	4,568	CCN4CI/201
7/8	3,626	SSMCI(28)
1-1/16	3,626	
1-5/16	2,900	

\*Pressure rating at 100F

\*\*Number in () corresponds to Superlok Tube Fittings catalogue page

TABLE 5 - POS	ITIONABLE SAE/MS FITTING	S
Nominal Thread Size (inch)	Pressure Rating (psi)*	Fitting Type**
7/16	4,568	
9/16	3,626	
3/4	3,626	SPHMEI(13), SPMEI(14)
1-1/16	2,900	SPMBTI(20)
1-5/16	2,320	

\*Pressure rating at 100F

\*\*Number in () corresponds to Superlok Tube Fittings catalogue page

Fittings excluded from registration scope:

SPHMEI 6/8/12/16

TABLE 6 - A	N (JIC) STRAIGHT FITTINGS	
Nominal Thread Size (inch)	Pressure Rating (psi)*	Fitting Type**
7/16	10,000	
9/16	8,200	CALINOC)
3/4	8,200	SAUI(25)
1-1/16	7,000	

\*Pressure rating at 100F

\*\*Number in () corresponds to Superlok Tube Fittings catalogue page

TABLE 7	ISO PARALLEL FITTINGS	
Nominal Thread Size (inch)	Pressure Rating (psi)*	Fitting Type**
1/4	4,568	
3/8	4,568	
1/2	2,320	SGCI(9), SOSCI(27)
3/4	2,320	
1	2,320	

\*Pressure rating at 100F

\*\*Number in () corresponds to Superlok Tube Fittings catalogue page Fittings excluded from registration scope:

SGCI 4 SOCI 12/16



#### PRESSURE RATING CHARTS FOR SUPERLOK IMPERIAL TUBE I-FITTINGS

TABLE 1 - TUBE C	COMPRESSION FITTINGS	5
Nominal Tube Size (inch)	Pressure Rating (psi)*	Fitting Type**
1/4	10,200	SUI(5), SRUI(6), SUEI(10),
3/8	6,500	SUTI(17), SRUTI(18),
1/2	6,700	SUCI(24), SRI(26),
3/4	5,800	SPWCI(29), SMPWEI(29),
1	4,700	SSWCI(30), SSWEI(30)

\*Pressure rating at 100F

\*\*Number in () corresponds to Superlok Tube Fittings catalogue page

Fittings excluded from registration scope:

SSWEI 16

TABLE 2 - MALE N	PT & ISO TAPERED FITTIN	IGS
Nominal Thread Size (inch)	Pressure Rating (psi)*	Fitting Type**
1/4	8,000	
3/8	7,800	SMCI(7), SMEI(12),
1/2	7,700	SHMEI(11), SMBTI(19),
3/4	7,300	SMRTI(21), SOPCI(27)
1	5,300	

\*Pressure rating at 100F


\*\*Number in () corresponds to Superlok Tube Fittings catalogue page Fittings excluded from registration scope:

SMEI 16

TABLE 3 - FEMALE N	NPT & ISO TAPERED FITTI	NGS
Nominal Thread Size (inch)	Pressure Rating (psi)*	Fitting Type**
1/4	6,600	
3/8	5,300	SFCI(8), SFEI(16),
1/2	4,900	SFBTI(22), SFRTI(23)
3/4	4,600	JI DI (22), JEN I (23)
1	4,400	

\*Pressure rating at 100F

\*\*Number in () corresponds to Superlok Tube Fittings catalogue page



Vunavut	Yukon	Northwest Territories		
Manufacturers Nam	DO BUT Co LIN			
		11-gil Yangsan-Si, Gyeongsangnam-do K	200A	
		san-SI,Gyeongsangnam-do Korea		
Category	of Fittings to be regist	ered. Circle one Category or s, plugs, unions, pipe caps, or redu		Title of the Standard of Construction
C Valves: all line valves	ible connections, and hose a	assemblies: all types		ASME B31.3
F Measuring devices, in transmitters	cluding pressure gauges, le	vel gauges, sight glasses, levels, c ceptable as primary over pressure	5	
boilers, pressure vess	els, piping and fusible plugs	o one of the above categories	protocion on	
		ass 3 🔲 , (Meeting CNSC or ASM		
	SUPERL	OK '	product	Type of Construction Forged Welded Wrought Cast Other Describe other: Machined
List of supporting di	ocumentation and ident	tification of the actual items t	o ho registero	
documents		Rildin	83	
Declaration: Jong Chen, Yoon and responsibility for th	(see note 3) 6	mployed by BMT Co., Ltd.	an a information or	d being the person having full authority
Jong Chan, Yeon nd responsibility for th ny knowledge represer atings, and Identification titings is regulated by a erified by <u>150 2001-1458</u> elieving it to be true, a signature of Declarer: Declared before me at this <u>18<sup>th</sup></u> day to commissioner of Oaths	e quality of the end products the product for which on markings are in accord a Quality Control Program are ind knowing that it is of the standard knowing t	uct do solemnly declare that the registration is sought. The dim dance with the herein named si in which extends to each plant v is being suitable for that purpose he same force and effect as if in <u>IOTARY OFFICE INC.</u> <u>D 2019</u> e right) <u>IANG VOO</u> This space for Regulatory Author	use the second	ontained in this form is true to the best of fals of construction, pressure temperature her declare that the manufacture of these in occurs in whole or in part and has been is solemn declaration conscientiously h.
Jong Chan, Yaon nd responsibility for th ny knowledge represen- atings, and identification titings is regulated by as erified by <u>150 2001-1458</u> elieving it to be true, a bignature of Declarer: beclared before me at his day commissioner of Oaths Dr Notary Public: (sign)	e quality of the end products the product for which on markings are in accord a Quality Control Program are ind knowing that it is of the standard	uct do solemnly declare that the registration is sought. The dim dance with the herein named si n which extends to each plant v s being suitable for that purpose he same force and effect as if n <u>IDTARY OFFICE INC.</u> D_2019 e right) TANG WOO	use the second	ontained in this form is true to the best of fals of construction, pressure temperature her declare that the manufacture of these in occurs in whole or in part and has been is solemn declaration conscientiously h.
Jong Chan, Yeon Ind responsibility for th ny knowledge represen- atings, and identification titings is regulated by a erified by <u>150 9001-1458</u> elieving it to be true, a signature of Declarer: Declared before me at this <u>18-th</u> day of commissioner of Oaths or Notary Public: (sign)	e quality of the end products the product for which on markings are in accord a Quality Control Program are ind knowing that it is of the standard	uct do solemnly declare that the registration is sought. The dim dance with the herein named si in which extends to each plant v is being suitable for that purpose he same force and effect as if in <u>IOTARY OFFICE INC.</u> <u>D 2019</u> e right) <u>IANG VOO</u> This space for Regulatory Author	use the second	ontained in this form is true to the best of fals of construction, pressure temperature her declare that the manufacture of these in occurs in whole or in part and has been is solemn declaration conscientiously h.
Jong Chan, Yeon Ind responsibility for the ty knowledge represen- atings, and identification titings is regulated by a erified by 150 2001-1458 elieving it to be true, a ignature of Declarer: his day of commissioner of Oaths or Notary Public: (sign) CRN: 0A18364 FID#: Notes:	e quality of the end products the product for which on markings are in accord a Quality Control Program as and knowing that it is of the standard s	uct do solemnly declare that the registration is sought. The dim dance with the herein named sti is being suitable for that purpose as ame force and effect as if in <u>IDTARY OFFICE INC.</u> <u>D_2019</u> e right) TANG WOO This space for Regulatory Author is be revalidated after ten (10) year	use the second	ontained in this form is true to the best of fals of construction, pressure temperature her declare that the manufacture of these in occurs in whole or in part and has been is solemn declaration conscientiously h.
Jong Chan, Yoos Ind responsibility for the ty knowledge represen- titings, and identification titings is regulated by a erified by 150 2001-1858 elieving it to be true, a ignature of Declarer: eclared before me at his <u>18<sup>th</sup></u> day of commissioner of Oaths or Notary Public: (sign) CRN: <u>0A18364</u> FID#: <u>15311</u> Notes: 1. All Fittings shall be reg	e quality of the end prod nts the product for which on markings are in accord a Quality Control Program as ind knowing that it is of the <u>J</u> SAMSUNG LAW & K of <u>Dec</u> . All G Affix Official seal to the This registration must 4.5 Add1 gistered in the name of the Manuele supported with two Statutory I	uct do solemnly declare that the registration is sought. The dim dance with the herein named sti is being suitable for that purpose are same force and effect as if in <u>IDTARY OFFICE LIC.</u> <u>D_2019</u> e right) <u>TANG WOO</u> This space for Regulatory Author is be revalidated after ten (10) year	a information co lensions, mater andards. I furth where fabrication and I make the nade under oath Use the Rin N VEOL rity use. s from the data of BY	ontained in this form is true to the best of fals of construction, pressure temperature her declare that the manufacture of these in occurs in whole or in part and has been is solemn declaration conscientiously h.
Jong Chan, Yeon Ind responsibility for th ny knowledge represen atings, and identificatio erified by 150 2001-458 elieving it to be true, a bignature of Declarer:	e quality of the end products the product for which on markings are in accord a Quality Control Program as and knowing that it is of the <u>SAMSUNG LAW &amp; K</u> of <u>Pec.</u> All <u>Caffix Official seal to the</u> This registration must 4.5 Add1	uct do solemnly declare that the registration is sought. The dim dance with the herein named sit is being suitable for that purpos he same force and effect as if n <u>IDTARY OFFICE INC.</u> <u>D_2019</u> e right) <u>IANG VOO</u> This space for Regulatory Authors to be revalidated after ten (10) year ufacturer. Declaration forms ull authority and	a information co lensions, mater andards. I furth where fabrication and I make the nade under oath Use the Rin N VEOL rity use. s from the data of BY	Alta364.5Y ADD1
Jorg Chan, Yeon Ind responsibility for th ny knowledge represer atings, and identification titings is regulated by a effied by 150 2001-1458 elieving it to be true, a signature of Declarer: Declared before me at this	e quality of the end products of which on markings are in accord a Quality Control Program assund knowing that it is of the SAMSUNG LAW & K of Add & K of A	uct do solemnly declare that the registration is sought. The dim dance with the herein named st is being suitable for that purpose is being suitable for that purpose is same force and effect as if in <u>IDTARY OFFICE LIC.</u> D e right) <u>IANG</u> WOO This space for Regulatory Author is be revalidated after ten (10) year ufacturer. Declaration forms ull authority and dation. g (I-Lok) series.	a information co lensions, mater andards. I furth where fabrication and I make the nade under oath Use the Rin N VEOL rity use. s from the data of BY	ontained in this form is true to the best of fals of construction, pressure temperature her declare that the manufacture of these in occurs in whole or in part and has been is solemn declaration conscientiously h.